




TYPE 2




TYPE 4




TYPE 5




TYPE 6




TYPE 7




TYPE 13



TYPE 16



TYPE 17



TYPE 18

Bore Range

Table No. 1

Bushing	Bore Range
G	3/8" to 1"
H	3/8 to 1 1/2
P1	1/2 to 1 3/4

Standard Keyseats

Table No. 2

Bore Range	Keyseats
3/8" & 7/16"	None
1/2 & 9/16	1/8" x 1/16"
5/8 to 7/8	3/16 x 3/32
15/16 to 1 1/4	1/4 x 1/8
1 5/16 & 1 3/8	5/16 x 5/32
1 7/16 to 1 3/4	3/8 x 3/16

1 3/8" Bore Bushings also available with 3/8" x 3/16" Keyseat.

Table No. 3

Specifications—Stock Minimum Bore Gearbelt® Pulleys

Part Number	Diameters		Flange	Number of Grooves	Type	Bore		Dimensions				Wt. Lbs.
	Pitch	Outside				Stock	Max.	F	L	P	H	
For L050 Belts, 3/8" Pitch, 1/2" Wide												
18LB050	2.149"	2.119"	2 7/16"	18	2	1/2"	7/8"	3/4"	1 1/4"	1/2"	1 9/16	.8
19LB050	2.268	2.238	2 5/8	19	2	1/2	7/8	3/4	1 1/4	1/2	1 11/16	.9
20LB050	2.387	2.357	2 5/8	20	2	1/2	7/8	3/4	1 1/4	1/2	1 11/16	1.0
21LB050	2.507	2.477	2 7/8	21	2	1/2	1 1/4	3/4	1 1/4	1/2	2	1.3
22LB050	2.626	2.596	2 7/8	22	2	1/2	1 1/4	3/4	1 1/4	1/2	2	1.4
24LB050	2.865	2.835	3 1/8	24	2	1/2	1 3/8	3/4	1 1/4	1/2	2 1/4	1.8
26LB050	3.104	3.074	3 3/8	26	2	1/2	1 3/8	3/4	1 1/4	1/2	2 1/4	2.1
28LB050	3.342	3.312	3 5/8	28	2	1/2	1 3/8	3/4	1 1/4	1/2	2 1/4	2.3
30LB050	3.581	3.551	3 13/16	30	2	1/2	1 3/8	3/4	1 1/4	1/2	2 1/4	2.4
32LB050	3.820	3.790	4 1/16	32	2	1/2	1 5/8	3/4	1 1/4	1/2	2 5/8	3.0
36LB050	4.297	4.267	4 11/16	36	2	1/2	2 5/16	3/4	1 1/4	1/2	3 1/2	3.8
40LB050	4.775	4.745	5	40	2	1/2	2 3/8	3/4	1 1/4	1/2	3 5/8	4.6
For L075 Belts, 3/8" Pitch, 3/4" Wide												
18LB075	2.149"	2.119"	2 7/16"	18	2	5/8"	7/8"	1"	1 1/2"	1/2"	1 9/16	1.0
19LB075	2.268	2.238	2 5/8	19	2	5/8	7/8	1	1 1/2	1/2	1 11/16	1.3
20LB075	2.387	2.357	2 5/8	20	2	5/8	7/8	1	1 1/2	1/2	1 11/16	1.3
21LB075	2.507	2.477	2 7/8	21	2	5/8	1 1/4	1	1 1/2	1/2	2	1.6
22LB075	2.626	2.596	2 7/8	22	2	5/8	1 1/4	1	1 1/2	1/2	2	1.8
24LB075	2.865	2.835	3 1/8	24	2	5/8	1 3/8	1	1 1/2	1/2	2 1/4	2.1
26LB075	3.104	3.074	3 3/8	26	2	5/8	1 3/8	1	1 1/2	1/2	2 1/4	2.4
28LB075	3.342	3.312	3 5/8	28	2	5/8	1 3/8	1	1 1/2	1/2	2 1/4	2.9
30LB075	3.581	3.551	3 13/16	30	2	5/8	1 3/8	1	1 1/2	1/2	2 1/4	3.0
32LB075	3.820	3.790	4 1/16	32	2	5/8	1 5/8	1	1 1/2	1/2	2 5/8	3.6
36LB075	4.297	4.267	4 11/16	36	2	5/8	2 5/16	1	1 1/2	1/2	3 1/2	4.4
40LB075	4.775	4.745	5	40	2	5/8	2 3/8	1	1 1/2	1/2	3 5/8	5.0
For L100 Belts, 3/8" Pitch, 1" Wide												
18LB100	2.149"	2.119"	2 7/16"	18	2	5/8"	7/8"	1 1/4"	1 3/4"	1/2"	1 9/16	1.2
19LB100	2.268	2.238	2 5/8	19	2	5/8	7/8	1 1/4	1 3/4	1/2	1 11/16	1.4
20LB100	2.387	2.357	2 5/8	20	2	5/8	7/8	1 1/4	1 3/4	1/2	1 11/16	1.8
21LB100	2.507	2.477	2 7/8	21	2	5/8	1 1/4	1 1/4	1 3/4	1/2	2	2.0
22LB100	2.626	2.596	2 7/8	22	2	5/8	1 1/4	1 1/4	1 3/4	1/2	2	2.1
24LB100	2.865	2.835	3 1/8	24	2	5/8	1 3/8	1 1/4	1 3/4	1/2	2 1/4	2.5
26LB100	3.104	3.074	3 3/8	26	2	5/8	1 5/8	1 1/4	1 3/4	1/2	2 7/16	3.0
28LB100	3.342	3.312	3 5/8	28	2	5/8	1 3/4	1 1/4	1 3/4	1/2	2 11/16	3.6
30LB100	3.581	3.551	3 13/16	30	2	5/8	1 7/8	1 1/4	1 3/4	1/2	2 13/16	4.1
32LB100	3.820	3.790	4 1/16	32	2	5/8	2	1 1/4	1 3/4	1/2	3 1/8	4.8
36LB100	4.297	4.267	4 11/16	36	2	5/8	2 5/16	1 1/4	1 3/4	1/2	3 1/2	5.4
40LB100	4.775	4.745	5	40	2	5/8	2 5/16	1 1/4	1 3/4	1/2	3 5/8	6.0

Browning Stock Minimum Bore Pulleys for "L" Gearbelts are furnished without keyseats or setscrews. They can be bored to size and furnished with keyseats and setscrews at a reasonable extra price.

* Maximum Bores shown will accommodate Standard Keyseats and Setscrew over Keyseat. Slightly Larger Bores are possible without Ks., Shallow Ks. or Setcrew at angle to Ks.

Table No. 1

Specifications—Stock Gearbelt® Pulleys with Browning Split Taper® Bushings

Part Number		Diameters				Number of Grooves	Type	Dimensions										Wt. Lbs. Less Bush
Pulley	Bushing	Pitch	Outside	Inside	Flange			O.L.	F	L	P	C	H	G	X	E		
For L050 Belts, 3/8" Pitch, 1/2" Wide																		
18LG050	G	2.149"	2.119"	—	2 7/16"	18	4	1 3/8"	3/4"	1"	7/16"	3/16"	2"	—	—	3/16"	.5	
19LG050	G	2.268	2.238	—	2 5/8"	19	4	1 3/8"	3/4"	1	7/16	3/16	2	—	—	3/16	.5	
20LG050	G	2.387	2.357	—	2 5/8"	20	4	1 3/8"	3/4"	1	7/16	3/16	2	—	—	3/16	.6	
21LG050	G	2.507	2.477	—	2 7/8"	21	4	1 3/8"	3/4"	1	7/16	3/16	2	—	—	3/16	.7	
22LG050	G	2.626	2.596	—	2 7/8"	22	4	1 3/8"	3/4"	1	7/16	3/16	2	—	—	3/16	.8	
24LH050	H	2.865	2.835	—	3 1/8"	24	5	1 7/16"	3/4"	1 1/4"	7/16	1/16	2 1/2	—	—	3/16	1.0	
26LH050	H	3.104	3.074	—	3 3/8"	26	5	1 7/16"	3/4"	1 1/4"	7/16	1/16	2 1/2	—	—	3/16	1.0	
28LH050	H	3.342	3.312	—	3 5/8"	28	5	1 7/16"	3/4"	1 1/4"	7/16	1/16	2 1/2	—	—	3/16	1.4	
30LH050	H	3.581	3.551	—	3 13/16"	30	5	1 7/16"	3/4"	1 1/4"	7/16	1/16	2 1/2	—	—	3/16	1.9	
32LH050	H	3.820	3.790	—	4 1/16"	32	5	1 7/16"	3/4"	1 1/4"	7/16	1/16	2 1/2	—	—	3/16	2.0	
36LH050	H	4.297	4.267	—	4 11/16"	36	5	1 7/16"	3/4"	1 1/4"	7/16	1/16	2 1/2	—	—	3/16	2.5	
36LP050	P1	4.297	4.267	—	4 11/16"	36	7	2 3/16"	3/4"	1 15/16"	5/8	9/16	3	—	1 5/16"	1/4	2.8	
40LH050	H	4.775	4.745	—	5	40	5	1 7/16"	3/4"	1 1/4"	7/16	1/16	2 1/2	—	—	3/16	3.5	
40LP050	P1	4.775	4.745	—	5	40	7	2 3/16"	3/4"	1 15/16"	5/8	9/16	3	—	1 5/16"	1/4	3.4	
44LH050	H	5.252	5.222	—	5 1/2"	44	5	1 7/16"	3/4"	1 1/4"	7/16	1/16	2 1/2	—	—	3/16	4.0	
44LP050	P1	5.252	5.222	—	5 1/2"	44	7	2 3/16"	3/4"	1 15/16"	5/8	9/16	3	—	1 5/16"	1/4	4.1	
48LH050	H	5.730	5.700	—	6	48	5	1 7/16"	3/4"	1 1/4"	7/16	1/16	2 1/2	—	—	3/16	4.9	
48LP050	P1	5.730	5.700	—	6	48	7	2 3/16"	3/4"	1 15/16"	5/8	9/16	3	—	1 5/16"	1/4	4.9	
60LH050	H	7.162	7.132	6 7/16"	—	60	17	1 1/2"	3/4"	1 1/4"	7/16	1/8	2 1/2	7/16"	7/8	3/16	4.3	
60LP050	P1	7.162	7.132	6 7/16"	—	60	13	2 3/16"	3/4"	1 15/16"	5/8	9/16	3	5/8	1 5/16"	1/4	4.9	
72LH050	H	8.594	8.564	7 13/16"	—	72	17	1 1/2"	3/4"	1 1/4"	7/16	1/8	2 1/2	7/16	7/8	3/16	5.3	
72LP050	P1	8.594	8.564	7 13/16"	—	72	13	2 3/16"	3/4"	1 15/16"	5/8	9/16	3	5/8	1 5/16"	1/4	6.0	
84LH050	H	10.027	9.997	9 1/4"	—	84	17	1 1/2"	3/4"	1 1/4"	7/16	1/8	2 1/2	7/16	7/8	3/16	6.2	
84LP050	P1	10.027	9.997	9 1/4"	—	84	13	2 3/16"	3/4"	1 15/16"	5/8	9/16	3	5/8	1 5/16"	1/4	7.0	
96LH050	H	11.459	11.429	10 11/16"	—	96	17	1 1/2"	3/4"	1 1/4"	7/16	1/8	2 1/2	7/16	7/8	3/16	7.3	
96LP050	P1	11.459	11.429	10 11/16"	—	96	13	2 3/16"	3/4"	1 15/16"	5/8	9/16	3	5/8	1 5/16"	1/4	8.5	
120LH050	H	14.324	14.294	13 9/16"	—	120	17	1 1/2"	3/4"	1 1/4"	7/16	1/8	2 1/2	7/16	7/8	3/16	9.5	
120LP050	P1	14.324	14.294	13 9/16"	—	120	13	3 3/16"	3/4"	1 15/16"	5/8	9/16	3	5/8	1 5/16"	1/4	10.8	
For L075 Belts, 3/8" Pitch, 3/4" Wide																		
18LG075	G	2.149"	2.119"	—	2 7/16"	18	4	1 5/8"	1"	1"	7/16"	7/16"	2"	—	—	3/16"	.6	
19LG075	G	2.268	2.238	—	2 5/8"	19	4	1 5/8"	1	1	7/16	7/16	2	—	—	3/16	.8	
20LG075	G	2.387	2.357	—	2 5/8"	20	4	1 5/8"	1	1	7/16	7/16	2	—	—	3/16	.8	
21LG075	G	2.507	2.477	—	2 7/8"	21	4	1 5/8"	1	1	7/16	7/16	2	—	—	3/16	1.0	
22LG075	G	2.626	2.596	—	2 7/8"	22	4	1 5/8"	1	1	7/16	7/16	2	—	—	3/16	1.1	
24LH075	H	2.865	2.835	—	3 1/8"	24	4	1 5/8"	1	1 1/4"	7/16	3/16	2 1/2	—	—	3/16	1.1	
26LH075	H	3.104	3.074	—	3 3/8"	26	4	1 5/8"	1	1 1/4"	7/16	3/16	2 1/2	—	—	3/16	1.5	
28LH075	H	3.342	3.312	—	3 5/8"	28	4	1 5/8"	1	1 1/4"	7/16	3/16	2 1/2	—	—	3/16	1.8	
30LH075	H	3.581	3.551	—	3 13/16"	30	16	1 7/16"	1	1 1/4"	1/4	0	2 1/2	7/16"	13/16"	3/16	1.9	
32LH075	H	3.820	3.790	—	4 1/16"	32	16	1 7/16"	1	1 1/4"	1/4	0	2 1/2	7/16	13/16	3/16	2.3	
36LH075	H	4.297	4.267	—	4 11/16"	36	16	1 7/16"	1	1 1/4"	1/4	0	2 1/2	7/16	13/16	3/16	3.0	
36LP075	P1	4.297	4.267	—	4 11/16"	36	7	2 3/16"	1	1 15/16"	5/8	5/16	3	—	1 5/16"	1/4	3.9	
40LH075	H	4.775	4.745	—	5	40	16	1 7/16"	1	1 1/4"	1/4	0	2 1/2	7/16	13/16	3/16	3.8	
40LP075	P1	4.775	4.745	—	5	40	7	2 3/16"	1	1 15/16"	5/8	5/16	3	—	1 5/16"	1/4	3.9	
44LH075	H	5.252	5.222	—	5 1/2"	44	16	1 7/16"	1	1 1/4"	1/4	0	2 1/2	7/16	13/16	3/16	4.9	
44LP075	P1	5.252	5.222	—	5 1/2"	44	7	2 3/16"	1	1 15/16"	5/8	5/16	3	—	1 5/16"	1/4	4.9	
48LH075	H	5.730	5.700	—	6	48	16	1 7/16"	1	1 1/4"	1/4	0	2 1/2	7/16	13/16	3/16	5.8	
48LP075	P1	5.730	5.700	—	6	48	7	2 3/16"	1	1 15/16"	5/8	5/16	3	—	1 5/16"	1/4	5.9	
60LH075	H	7.162	7.132	6 7/16"	—	60	17	1 1/2"	1	1 1/4"	5/16	1/16	2 1/2	7/16"	7/8	3/16	4.6	
60LP075	P1	7.162	7.132	6 7/16"	—	60	13	2 3/16"	1	1 15/16"	5/8	5/16	3	5/8	1 5/16"	1/4	5.3	
72LH075	H	8.594	8.564	7 13/16"	—	72	17	1 1/2"	1	1 1/4"	5/16	1/16	2 1/2	7/16	7/8	3/16	5.6	
72LP075	P1	8.594	8.564	7 13/16"	—	72	13	2 3/16"	1	1 15/16"	5/8	5/16	3	5/8	1 5/16"	1/4	6.6	
84LH075	H	10.027	9.997	9 1/4"	—	84	17	1 1/2"	1	1 1/4"	5/16	1/16	2 1/2	7/16	7/8	3/16	6.7	
84LP075	P1	10.027	9.997	9 1/4"	—	84	13	2 3/16"	1	1 15/16"	5/8	5/16	3	5/8	1 5/16"	1/4	7.5	
96LH075	H	11.459	11.429	10 11/16"	—	96	17	1 1/2"	1	1 1/4"	5/16	1/16	2 1/2	7/16	7/8	3/16	7.9	
96LP075	P1	11.459	11.429	10 11/16"	—	96	13	2 3/16"	1	1 15/16"	5/8	5/16	3	5/8	1 5/16"	1/4	8.8	
120LH075	H	14.324	14.294	13 9/16"	—	120	17	1 1/2"	1	1 1/4"	5/16	1/16	2 1/2	7/16	7/8	3/16	10.4	
120LP075	P1	14.324	14.294	13 9/16"	—	120	13	2 3/16"	1	1 15/16"	5/8	5/16	3	5/8	1 5/16"	1/4	11.4	
For L100 Belts, 3/8" Pitch, 1" Wide																		
18LG100	G	2.149"	2.119"	—	2 7/16"	18	4	1 7/8"	1 1/4"	1"	7/16"	11/16"	2"	—	—	3/16"	.8	
19LG100	G	2.268	2.238	—	2 5/8"	19	4	1 7/8"	1 1/4"	1	7/16	11/16	2	—	—	3/16	1.0	
20LG100	G	2.387	2.357	—	2 5/8"	20	4	1 7/8"	1 1/4"	1	7/16	11/16	2	—	—	3/16	1.1	
21LG100	G	2.507	2.477	—	2 7/8"	21	4	1 7/8"	1 1/4"	1	7/16	11/16	2	—	—	3/16	1.3	
22LG100	G	2.626	2.596	—	2 7/8"	22	4	1 7/8"	1 1/4"	1	7/16	11/16	2	—	—	3/16	1.5	
24LH100	H	2.865	2.835	—	3 1/8"	24	4	1 7/8"	1 1/4"	1 1/4"	7/16	7/16	2 1/2	—	—	3/16	1.5	
26LH100	H	3.104	3.074	—	3 3/8"	26	4	1 7/8"	1 1/4"	1 1/4"	7/16	7/16	2 1/2	—	—	3/16	1.9	
28LH100	H	3.342	3.312	—	3 5/8"	28	4	1 7/8"	1 1/4"	1 1/4"	7/16	7/16	2 1/2	—	—	3/16	2.3	
30LH100	H	3.581	3.551	—	3 13/16"	30	16	1 7/16"	1 1/4"	1 1/4"	0	0	2 1/2	7/16"	13/16"	3/16	2.3	
32LH100	H	3.820	3.790	—	4 1/16"	32	16	1 7/16"	1 1/4"	1 1/4"	0	0	2 1/2	7/16	13/16	3/16	2.7	
36LH100	H	4.297	4.267	—	4 11/16"	36	16	1 7/16"	1 1/4"	1 1/4"	0	0	2 1/2	7/16	13/16	3/16	3.2	
36LP100	P1	4.297	4.267	—	4 11/16"	36	6	2 3/16"	1 1/4"	1 15/16"	5/8	1/16	3	—	—	1/4	3.9	
40LH100	H	4.775	4.745	—	5	40	16	1 7/16"	1 1/4"	1 1/4"	0	0	2 1/2	7/16	13/16	3/16	4.0	
40LP100	P1	4.775	4.745	—	5	40	6	2 3/16"	1 1/4"	1 15/16"	5/8	1/16	3	—	—	1/4	5.0	
44LH100	H	5.252	5.222	—	5 1/2"	44	16	1 7/16"	1 1/4"	1 1/4"	0	0	2 1/2	7/16	13/16	3/16	5.0	
44LP100	P1	5.252	5.222	—	5 1/2"	44	6	2 3/16"	1 1/4"	1 15/16"	5/8	1/16	3	—	—	1/4	6.3	
48LH100	H	5.730	5.700	—	6	48	16	1 7/16"	1 1/4"	1 1/4"	0	0	2 1/2	7/16	13/16	3/16	6.2	
48LP100	P1	5.730	5.700	—	6	48	6	2 3/16"	1 1/4"	1 15/16"	5/8	1/16	3	—	—	1/4	7.8	
60LH100	H	7.162	7.132	6 7/16"	—	60	18	1 1/2"	1 1/4"	1 1/4"	1/16	1/8	2 1/2	7/16"	7/8	3/16	5.1	
60LP100	P1	7.162	7.132	6 7/16"	—	60	13	2 3/16										