

# Eaton L630C

Catalog Number: L630C

Eaton Arrow Hart ultra grip locking connector, #18-10 AWG, 30A, Industrial, 250V, Back wiring, Black, white, Ultra grip, L6-30, Two-pole, Three-wire, Nylon



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Arrow Hart standard locking connector	L630C
	UPC
	032664393600
<b>Product Length/Depth</b>	<b>Product Height</b>
1.92 in	3.93 in
<b>Product Width</b>	<b>Product Weight</b>
1.81 in	0.28 lb
<b>Compliances</b>	<b>Certifications</b>
RoHS Compliant	UL Listed
	NOM
	CSA certified

## defaultTaxonomyAttributeLabel

### Special features

Watertight locking receptacle

### Type

Locking connector

### Amperage Rating

30A

### Voltage rating

250 V

### Contact material

Brass

### Application

Industrial

### Device grade

Commercial

### Wiring method

Back

### Number of wires

Grounding

3

### Number Of Poles

Two-pole

### Color

White

Black

### Cord diameter

0.25-0.69 in (6.4 mm-17.5 mm)

### Material

Thermoplastic

### Operating temperature

-20 to 60 °C (-4 to 140 °F)

### Allowable wire size

#18-10 AWG

### NEMA configuration

L6-30

### Torque rating

20 lbf-inch

## Resources

### Brochures

[Wiring Devices Buyer's Guide](#)

### Multimedia

[Arrow Hart - Connecting Safety to Reliability since 1890](#)

### Specifications and datasheets

[Eaton Specification Sheet - L630C](#)

Design type

Standard locking connector

Face/body material

Thermoplastic



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)