

Hi-Power® II Belts


Featuring a composite, multi-purpose construction, these belts resist oil and heat, ozone, sunlight, weather, and aging.

Markets/Applications

Suitable for all industrial applications, including v-flat drives.

Features/Advantages

- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **The Flex-Weave® Cover** is a patented fabric construction for longer cover life, providing extended protection to the belt core from oil, dirt and heat.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



HEAVY DUTY V-BELTS


Recommended Sheaves

Multi-Duty Sheaves

Notes

Gates Hi-Power belts are available in A, B, C, D and E cross sections.

Product No. Series 9002



A Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A24	\$6.77	9002-2024	26.0	.17	5
A25	6.87	9002-2025	27.0	.18	1
A26	6.98	9002-2026	28.0	.20	5
A27	7.08	9002-2027	29.0	.21	5
A28	7.19	9002-2028	30.0	.22	5
A29	7.29	9002-2029	31.0	.22	5
A29.8	7.41	9002-2298	31.8	.23	1
A30	7.41	9002-2030	32.0	.23	5
A31	7.52	9002-2031	33.0	.24	5
A32	7.68	9002-2032	34.0	.24	5
A33	7.78	9002-2033	35.0	.28	5
A34	7.94	9002-2034	36.0	.29	5
A35	8.05	9002-2035	37.0	.30	5
A36	8.21	9002-2036	38.0	.30	5
A37	8.43	9002-2037	39.0	.31	5
A38	8.58	9002-2038	40.0	.31	5
A39	8.75	9002-2039	41.0	.31	5
A40	8.86	9002-2040	42.0	.32	5
A41	9.03	9002-2041	43.0	.32	5
A42	9.23	9002-2042	44.0	.33	5
A43	9.39	9002-2043	45.0	.34	5
A44	9.50	9002-2044	46.0	.34	5
A45	9.61	9002-2045	47.0	.35	5
A46	9.66	9002-2046	48.0	.35	5
A47	9.76	9002-2047	49.0	.36	5
A48	9.88	9002-2048	50.0	.37	5
A49	9.98	9002-2049	51.0	.37	5
A50	10.08	9002-2050	52.0	.42	5
A51	10.20	9002-2051	53.0	.42	5
A52	10.31	9002-2052	54.0	.43	5

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A53	\$10.41	9002-2053	55.0	.43	5
A54	10.58	9002-2054	56.0	.44	5
A55	10.68	9002-2055	57.0	.45	5
A56	10.78	9002-2056	58.0	.45	5
A57	10.88	9002-2057	59.0	.46	5
A58	11.06	9002-2058	60.0	.47	5
A59	11.16	9002-2059	61.0	.47	1
A60	11.27	9002-2060	62.0	.48	1
A61	11.43	9002-2061	63.0	.49	1
A62	11.53	9002-2062	64.0	.49	5
A63	11.71	9002-2063	65.0	.50	1
A64	11.81	9002-2064	66.0	.50	5
A65	11.92	9002-2065	67.0	.50	1
A66	12.08	9002-2066	68.0	.51	5
A67	12.23	9002-2067	69.0	.51	1
A68	12.35	9002-2068	70.0	.51	5
A69	12.62	9002-2069	71.0	.53	1
A70	12.88	9002-2070	72.0	.53	5
A71	12.98	9002-2071	73.0	.53	5
A72	13.05	9002-2072	74.0	.53	1
A73	13.15	9002-2073	75.0	.54	1
A74	13.26	9002-2074	76.0	.54	1
A75	13.42	9002-2075	77.0	.54	5
A76	13.63	9002-2076	78.0	.54	1
A77	13.85	9002-2077	79.0	.54	1
A78	14.07	9002-2078	80.0	.54	5
A79	14.27	9002-2079	81.0	.56	1
A80	14.50	9002-2080	82.0	.56	5
A81	14.70	9002-2081	83.0	.56	1
A82	14.92	9002-2082	84.0	.57	1

Prices Subject To Change Without Notice



Hi-Power® II Belts

Product No. Series 9002 (continued)

A Section (continued)


Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A91	\$16.83	9002-2091	93.0	.64	1
A92	17.01	9002-2092	94.0	.64	1
A93	17.17	9002-2093	95.0	.65	1
A94	17.36	9002-2094	96.0	.65	1
A95	17.54	9002-2095	97.0	.66	1
A96	17.71	9002-2096	98.0	.67	1
A97	17.85	9002-2097	99.0	.66	1
A98	18.09	9002-2098	100.0	.68	1
A99	18.28	9002-2099	101.0	.69	1
A100	18.46	9002-2100	102.0	.70	1
A101	18.64	9002-2101	103.0	.71	1
A102	18.83	9002-2102	104.0	.72	1
A103	19.01	9002-2103	105.0	.72	1
A104	19.16	9002-2104	106.0	.74	1
A105	19.31	9002-2105	107.0	.74	1
A106	19.69	9002-2106	108.0	.75	1
A107	20.07	9002-2107	109.0	.75	1
A108	20.45	9002-2108	110.0	.76	1
A110	20.83	9002-2110	112.0	.76	1
A112	21.46	9002-2112	114.0	.78	1
A113	21.68	9002-2113	115.0	.79	1
A114	21.87	9002-2114	116.0	.80	1
A115	22.06	9002-2115	117.0	.80	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A116	\$22.31	9002-2116	118.0	.81	1
A117	22.50	9002-2117	119.0	.82	1
A118	22.70	9002-2118	120.0	.83	1
A120	23.08	9002-2120	122.0	.84	1
A124	23.88	9002-2124	126.0	.85	1
A125	24.08	9002-2125	127.0	.87	1
A128	24.68	9002-2128	130.0	.87	1
A130	25.12	9002-2130	132.0	.87	1
A132	25.51	9002-2132	134.0	.87	1
A133	25.70	9002-2133	135.0	.94	1
A134	25.90	9002-2134	136.0	.94	1
A136	26.30	9002-2136	138.0	.96	1
A137	26.50	9002-2137	139.0	.98	1
A144	27.87	9002-2144	146.0	1.02	1
A152	29.42	9002-2152	154.0	1.02	1
A156	30.20	9002-2156	158.0	1.03	1
A157	30.40	9002-2157	159.0	1.03	1
A158	30.59	9002-2158	160.0	1.05	1
A162	31.38	9002-2162	164.0	1.06	1
A167	32.37	9002-2167	169.0	1.09	1
A173	33.56	9002-2173	175.0	1.20	1
A180	34.94	9002-2180	182.0	1.30	1
A200	38.82	9002-2200	202.0	1.40	1

HEAVY DUTY V-BELTS

Product No. Series 9003

B Section



Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B28	\$9.33	9003-2028	31.0	.35	1
B29	9.56	9003-2029	32.0	.36	1
B30	9.76	9003-2030	33.0	.37	1
B31	9.95	9003-2031	34.0	.38	1
B32	10.13	9003-2032	35.0	.40	5
B33	10.34	9003-2033	36.0	.41	1
B34	10.51	9003-2034	37.0	.42	5
B35	10.73	9003-2035	38.0	.46	5
B36	11.06	9003-2036	39.0	.47	5
B37	11.43	9003-2037	40.0	.48	1
B38	11.81	9003-2038	41.0	.48	5
B39	12.08	9003-2039	42.0	.49	5
B40	12.35	9003-2040	43.0	.49	5
B41	12.62	9003-2041	44.0	.50	5
B42	12.88	9003-2042	45.0	.51	5
B43	13.15	9003-2043	46.0	.52	5
B44	13.42	9003-2044	47.0	.53	5
B45	13.68	9003-2045	48.0	.54	5
B46	13.95	9003-2046	49.0	.55	5
B47	14.17	9003-2047	50.0	.56	5
B48	14.38	9003-2048	51.0	.57	5
B49	14.60	9003-2049	52.0	.58	5
B50	14.82	9003-2050	53.0	.65	5
B51	15.02	9003-2051	54.0	.66	5
B52	15.20	9003-2052	55.0	.67	5
B53	15.30	9003-2053	56.0	.67	5
B54	15.45	9003-2054	57.0	.69	5
B55	15.57	9003-2055	58.0	.69	5
B56	15.67	9003-2056	59.0	.69	5
B57	15.77	9003-2057	60.0	.70	5
B58	15.89	9003-2058	61.0	.70	5

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B59	\$16.00	9003-2059	62.0	.70	5
B60	16.10	9003-2060	63.0	.72	5
B61	16.32	9003-2061	64.0	.72	5
B62	16.52	9003-2062	65.0	.73	5
B63	16.75	9003-2063	66.0	.74	5
B64	16.96	9003-2064	67.0	.75	5
B65	17.17	9003-2065	68.0	.76	5
B66	17.39	9003-2066	69.0	.77	5
B67	17.55	9003-2067	70.0	.78	5
B68	17.71	9003-2068	71.0	.79	5
B69	17.92	9003-2069	72.0	.80	5
B70	18.19	9003-2070	73.0	.81	5
B71	18.41	9003-2071	74.0	.82	5
B72	18.62	9003-2072	75.0	.83	5
B73	18.84	9003-2073	76.0	.84	5
B74	19.11	9003-2074	77.0	.85	5
B75	19.31	9003-2075	78.0	.86	5
B76	19.59	9003-2076	79.0	.88	5
B77	19.86	9003-2077	80.0	.88	5
B78	20.14	9003-2078	81.0	.88	5
B79	20.39	9003-2079	82.0	.88	5
B80	20.66	9003-2080	83.0	.91	5
B81	20.94	9003-2081	84.0	.92	5
B82	21.46	9003-2082	85.0	.93	5
B83	21.63	9003-2083	86.0	.94	5
B84	21.84	9003-2084	87.0	.95	5
B85	22.00	9003-2085	88.0	.96	5
B86	22.23	9003-2086	89.0	.96	5
B87	22.44	9003-2087	90.0	.99	5
B88	22.65	9003-2088	91.0	1.00	5
B89	22.86	9003-2089	92.0	1.01	1

Prices Subject To Change Without Notice





Hi-Power® II Belts



Product No. Series 9003 (continued)

B Section (continued)

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B90	\$23.08	9003-2090	93.0	1.01	5
B91	23.40	9003-2091	94.0	1.02	1
B92	23.78	9003-2092	95.0	1.03	5
B93	24.15	9003-2093	96.0	1.04	5
B94	24.43	9003-2094	97.0	1.05	1
B95	24.68	9003-2095	98.0	1.06	5
B96	24.95	9003-2096	99.0	1.07	5
B97	25.23	9003-2097	100.0	1.08	5
B98	25.38	9003-2098	101.0	1.09	1
B99	25.60	9003-2099	102.0	1.10	1
B100	25.77	9003-2100	103.0	1.11	5
B101	25.98	9003-2101	104.0	1.13	1
B102	26.04	9003-2102	105.0	1.14	1
B103	26.30	9003-2103	106.0	1.14	5
B104	26.56	9003-2104	107.0	1.16	1
B105	26.83	9003-2105	108.0	1.16	5
B106	27.33	9003-2106	109.0	1.18	1
B107	27.57	9003-2107	110.0	1.19	1
B108	27.80	9003-2108	111.0	1.20	5
B109	28.14	9003-2109	112.0	1.21	1
B110	28.40	9003-2110	113.0	1.22	1
B111	28.73	9003-2111	114.0	1.23	1
B112	28.99	9003-2112	115.0	1.24	5
B113	29.01	9003-2113	116.0	1.24	1
B114	29.27	9003-2114	117.0	1.26	1
B115	29.53	9003-2115	118.0	1.27	1
B116	29.79	9003-2116	119.0	1.28	5
B117	29.91	9003-2117	120.0	1.29	1
B118	30.17	9003-2118	121.0	1.30	1
B119	30.38	9003-2119	122.0	1.32	1
B120	30.59	9003-2120	123.0	1.35	5
B122	31.13	9003-2122	125.0	1.36	1
B123	31.41	9003-2123	126.0	1.37	1
B124	31.67	9003-2124	127.0	1.38	5
B125	31.95	9003-2125	128.0	1.39	1
B126	32.21	9003-2126	129.0	1.40	1
B127	32.47	9003-2127	130.0	1.40	1
B128	32.73	9003-2128	131.0	1.43	5
B130	33.39	9003-2130	133.0	1.62	1
B131	33.84	9003-2131	134.0	1.63	1
B132	34.10	9003-2132	135.0	1.64	1
B133	34.36	9003-2133	136.0	1.65	1
B134	34.62	9003-2134	137.0	1.66	1
B135	34.73	9003-2135	138.0	1.67	1
B136	34.99	9003-2136	139.0	1.68	5
B137	35.25	9003-2137	140.0	1.69	5
B138	35.49	9003-2138	141.0	1.70	5
B139	35.73	9003-2139	140.0	1.72	1
B140	35.96	9003-2140	143.0	1.73	5
B141	36.23	9003-2141	144.0	1.74	1
B142	36.50	9003-2142	145.0	1.75	1
B143	36.77	9003-2143	146.0	1.76	1
B144	37.04	9003-2144	147.0	1.76	5
B145	37.27	9003-2145	148.0	1.79	1
B146	37.50	9003-2146	149.0	1.79	1
B147	37.69	9003-2147	150.0	1.80	1
B148	37.95	9003-2148	151.0	1.80	1
B149	38.52	9003-2149	152.0	1.81	1
B150	39.09	9003-2150	153.0	1.81	1
B151	39.36	9003-2151	154.0	1.81	1
B152	39.62	9003-2152	155.0	1.82	1
B153	39.88	9003-2153	156.0	1.82	1
B154	40.14	9003-2154	157.0	1.83	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B156	\$39.74	9003-2156	159.0	1.84	1
B157	40.00	9003-2157	160.0	1.84	1
B158	40.25	9003-2158	161.0	1.84	5
B160	41.34	9003-2160	163.0	1.85	1
B161	41.60	9003-2161	164.0	1.85	1
B162	41.86	9003-2162	165.0	1.85	1
B164	42.15	9003-2164	167.0	1.86	1
B165	42.41	9003-2165	168.0	1.86	1
B166	42.66	9003-2166	169.0	1.86	1
B168	42.74	9003-2168	171.0	1.87	1
B169	42.99	9003-2169	172.0	1.88	1
B170	43.25	9003-2170	173.0	1.89	1
B173	44.01	9003-2173	176.0	1.92	5
B174	44.61	9003-2174	177.0	1.93	1
B175	44.87	9003-2175	178.0	1.95	1
B177	45.38	9003-2177	180.0	1.97	1
B178	45.63	9003-2178	181.0	1.98	1
B180	46.15	9003-2180	183.0	2.00	5
B182	46.66	9003-2182	185.0	2.02	1
B184	46.79	9003-2187	187.0	2.04	1
B185	46.67	9003-2185	188.0	2.05	1
B186	46.92	9003-2186	189.0	2.06	1
B187	47.18	9003-2187	190.0	2.07	1
B188	47.43	9003-2188	191.0	2.08	1
B190	48.70	9003-2190	193.0	2.11	1
B192	49.14	9003-2192	195.0	2.13	1
B195	49.91	9003-2195	198.0	2.16	5
B199	50.79	9003-2199	202.0	2.21	1
B200	51.05	9003-2200	203.0	2.22	1
B201	51.31	9003-2201	204.0	2.23	1
B204	52.07	9003-2204	207.0	2.27	1
B205	52.33	9003-2205	208.0	2.27	5
B210	53.67	9003-2210	213.0	2.36	5
B212	54.11	9003-2212	213.0	2.37	1
B215	54.78	9003-2215	216.0	2.40	1
B217	55.22	9003-2217	218.0	2.43	1
B218	55.45	9003-2218	219.0	2.44	1
B221	56.11	9003-2221	222.0	2.47	1
B223	56.56	9003-2223	224.0	2.49	1
B225	57.00	9003-2225	226.0	2.51	5
B228	57.67	9003-2228	229.0	2.55	1
B230	58.22	9003-2230	231.0	2.57	1
B234	59.19	9003-2234	235.0	2.52	1
B235	59.43	9003-2235	236.0	2.63	1
B236	59.68	9003-2236	237.0	2.64	1
B240	60.65	9003-2240	241.0	2.68	5
B248	62.80	9003-2248	249.0	2.77	1
B255	64.68	9003-2255	256.0	2.85	5
B265	67.35	9003-2265	266.0	2.96	1
B270	68.69	9003-2270	271.0	3.02	5
B276	70.20	9003-2276	277.0	3.09	1
B279	70.95	9003-2279	280.0	3.12	1
B285	72.46	9003-2285	286.0	3.18	5
B290	72.46	9003-2290	291.0	3.24	1
B292	74.18	9003-2292	295.0	3.26	1
B300	76.21	9003-2300	301.0	3.58	5
B310	76.21	9003-2310	311.0	3.70	1
B315	81.69	9003-2315	316.0	3.76	5
B330	85.58	9003-2330	331.0	4.60	1
B340	88.17	9003-2340	341.0	4.69	1
B345	85.22	9003-2345	346.0	4.74	1
B355	87.72	9003-2355	356.0	4.77	1
B360	88.78	9003-2360	361.0	4.83	1


HEAVY DUTY V-BELTS

Prices Subject To Change Without Notice





Hi-Power® II Belts



Product No. Series 9004

C Section

HEAVY DUTY V-BELTS

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C44	\$22.45	9004-2044	48.0	.98	1
C46	23.47	9004-2046	50.0	1.02	1
C47	23.98	9004-2047	51.0	1.04	1
C48	24.49	9004-2048	52.0	1.06	1
C50	24.60	9004-2050	54.0	1.10	1
C51	24.68	9004-2051	55.0	1.11	1
C52	25.65	9004-2052	56.0	1.13	1
C53	25.65	9004-2053	57.0	1.17	1
C54	26.25	9004-2054	58.0	1.21	1
C55	26.62	9004-2055	59.0	1.23	1
C56	27.08	9004-2056	60.0	1.27	1
C57	27.56	9004-2057	61.0	1.29	1
C58	28.02	9004-2058	62.0	1.31	1
C59	28.51	9004-2059	63.0	1.33	1
C60	28.99	9004-2060	64.0	1.35	1
C61	30.37	9004-2061	65.0	1.37	1
C62	30.87	9004-2062	66.0	1.41	1
C63	31.00	9004-2063	67.0	1.44	1
C64	31.17	9004-2064	68.0	1.45	1
C65	31.34	9004-2065	69.0	1.47	1
C66	31.81	9004-2066	70.0	1.50	1
C67	32.29	9004-2067	71.0	1.50	1
C68	32.73	9004-2068	72.0	1.52	1
C69	33.20	9004-2069	73.0	1.52	1
C70	33.68	9004-2070	74.0	1.54	1
C71	34.13	9004-2071	75.0	1.56	1
C72	34.56	9004-2072	76.0	1.58	1
C73	35.00	9004-2073	77.0	1.57	1
C74	35.65	9004-2074	78.0	1.58	1
C75	35.96	9004-2075	79.0	1.58	5
C76	36.61	9004-2076	80.0	1.59	1
C78	37.57	9004-2078	82.0	1.59	1
C79	38.18	9004-2079	83.0	1.60	1
C80	38.66	9004-2080	84.0	1.60	1
C81	39.18	9004-2081	85.0	1.62	5
C82	39.24	9004-2082	86.0	1.64	1
C83	39.72	9004-2083	87.0	1.66	1
C84	39.99	9004-2084	88.0	1.68	1
C85	40.25	9004-2085	89.0	1.70	5
C86	41.05	9004-2086	90.0	1.72	1
C87	41.53	9004-2087	91.0	1.74	1
C88	42.50	9004-2088	92.0	1.76	1
C90	43.47	9004-2090	94.0	1.79	5
C91	43.86	9004-2091	95.0	1.82	1
C92	44.37	9004-2092	96.0	1.84	1
C93	44.82	9004-2093	97.0	1.85	1
C94	45.30	9004-2094	98.0	1.88	1
C95	45.78	9004-2095	99.0	1.89	1
C96	46.15	9004-2096	100.0	1.92	5
C97	46.64	9004-2097	101.0	1.93	1
C98	47.13	9004-2098	102.0	1.95	1
C99	47.61	9004-2099	103.0	1.97	1
C101	49.28	9004-2101	105.0	2.01	1
C102	49.40	9004-2102	106.0	2.03	1
C103	49.88	9004-2103	107.0	2.05	1
C104	49.98	9004-2104	108.0	2.07	1
C105	50.46	9004-2105	109.0	2.09	5
C106	50.88	9004-2106	110.0	2.11	1
C107	51.34	9004-2107	111.0	2.13	1
C108	51.79	9004-2108	112.0	2.14	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C109	\$52.27	9004-2109	113.0	2.16	1
C110	52.75	9004-2110	114.0	2.19	1
C111	53.22	9004-2111	115.0	2.21	1
C112	53.67	9004-2112	116.0	2.23	5
C114	54.60	9002-2114	118.0	2.26	1
C115	55.07	9004-2115	119.0	2.28	1
C116	55.54	9004-2116	120.0	2.30	1
C117	56.01	9004-2117	121.0	2.32	1
C118	56.47	9004-2118	122.0	2.34	1
C120	57.43	9004-2120	124.0	2.38	5
C122	58.35	9004-2122	126.0	2.42	1
C124	59.26	9004-2124	128.0	2.45	1
C126	60.23	9004-2126	130.0	2.50	1
C128	61.19	9004-2128	132.0	2.53	5
C130	62.05	9004-2130	134.0	2.59	1
C131	62.25	9004-2131	135.0	2.63	1
C132	62.73	9004-2132	136.0	2.65	1
C134	63.68	9004-2134	138.0	2.67	1
C135	64.29	9004-2135	139.0	2.75	1
C136	64.63	9004-2136	140.0	2.79	5
C137	65.24	9004-2137	141.0	2.79	1
C138	65.72	9004-2138	142.0	2.80	1
C139	65.71	9004-2139	143.0	2.80	1
C140	66.67	9004-2140	144.0	2.81	1
C141	66.67	9004-2141	145.0	2.81	1
C142	67.74	9004-2142	146.0	2.82	1
C143	68.21	9004-2143	147.0	2.83	1
C144	68.69	9004-2144	148.0	2.85	5
C146	69.54	9004-2146	150.0	2.89	1
C147	70.01	9004-2147	151.0	2.90	1
C148	70.49	9004-2148	152.0	2.92	1
C150	71.38	9004-2150	154.0	2.96	1
C151	71.69	9004-2151	155.0	2.98	1
C152	72.15	9004-2152	156.0	3.00	1
C153	72.64	9004-2153	157.0	3.02	1
C154	71.11	9004-2154	158.0	3.04	1
C155	73.59	9004-2155	159.0	3.06	1
C156	74.06	9004-2156	160.0	3.08	1
C158	75.15	9004-2158	162.0	3.12	5
C160	75.95	9004-2160	164.0	3.16	1
C162	76.75	9004-2162	166.0	3.20	5
C164	77.83	9004-2164	168.0	3.23	1
C165	78.31	9004-2165	169.0	3.25	1
C166	78.78	9004-2166	170.0	3.27	1
C168	79.73	9004-2168	172.0	3.31	1
C169	80.21	9004-2169	173.0	3.33	1
C170	80.68	9004-2170	174.0	3.35	1
C173	82.12	9004-2173	177.0	3.41	5
C175	83.49	9004-2175	179.0	3.45	1
C177	84.45	9004-2177	181.0	3.50	1
C180	85.88	9004-2180	184.0	3.54	5
C181	85.87	9004-2181	185.0	3.57	1
C183	87.32	9004-2183	187.0	3.94	1
C185	88.27	9004-2185	189.0	3.98	1
C188	88.23	9004-2188	192.0	4.03	1
C190	90.48	9004-2190	194.0	4.07	1
C195	92.85	9004-2195	199.0	4.17	5
C197	92.81	9004-2197	201.0	4.23	1
C200	92.76	9004-2200	204.0	4.27	1
C202	96.54	9004-2202	206.0	4.31	1

Prices Subject To Change Without Notice





Hi-Power® II Belts


Product No. Series 9004 (continued)

C Section (continued)

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C204	\$97.49	9004-2204	208.0	4.39	1
C207	98.93	9004-2207	211.0	4.37	1
C210	100.36	9004-2210	214.0	4.81	5
C214	102.30	9004-2214	216.0	4.85	1
C218	104.25	9004-2218	220.0	4.92	1
C220	104.07	9004-2220	222.0	4.97	1
C221	104.54	9004-2221	223.0	5.01	1
C225	106.44	9004-2225	227.0	5.08	5
C228	107.85	9004-2228	230.0	5.13	1
C229	108.32	9004-2229	231.0	5.19	1
C235	106.16	9004-2235	237.0	5.28	1
C240	112.71	9004-2240	242.0	5.39	5
C245	115.81	9004-2245	247.0	5.49	1
C246	116.28	9004-2246	248.0	5.52	1
C248	117.23	9004-2248	250.0	5.60	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C255	\$120.54	9004-2255	257.0	5.70	5
C265	124.98	9004-2265	267.0	6.02	1
C270	127.20	9004-2270	272.0	6.09	5
C276	127.04	9004-2276	278.0	6.14	1
C280	131.88	9004-2280	282.0	6.22	1
C285	134.23	9004-2285	287.0	6.62	5
C290	134.11	9004-2290	292.0	6.68	1
C295	138.34	9004-2295	297.0	6.73	1
C297	139.77	9004-2297	299.0	6.85	1
C300	141.15	9004-2300	302.0	6.93	5
C315	148.13	9004-2315	317.0	7.23	5
C320	148.02	9004-2320	322.0	7.41	1
C330	155.12	9004-2330	332.0	7.55	5
C345	162.09	9004-2345	347.0	7.86	5
C360	169.07	9004-2360	362.0	8.17	5
C390	183.57	9004-2390	392.0	8.80	5
C420	198.05	9004-2420	422.0	10.35	1

HEAVY DUTY V-BELTS




Product No. Series 9005

D Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
D105	\$93.39	9005-2105	110.0	5.30	1
D107	95.11	9005-2107	112.0	5.41	1
D112	99.40	9005-2112	117.0	5.56	1
D120	106.27	9005-2120	125.0	5.86	1
D128	113.23	9005-2128	133.0	6.14	1
D136	120.21	9005-2136	141.0	6.43	1
D140	123.71	9005-2140	145.0	6.59	1
D144	127.20	9005-2144	149.0	6.73	1
D158	139.55	9005-2158	163.0	7.24	1
D162	143.85	9005-2162	167.0	7.38	1
D165	145.82	9005-2165	170.0	7.49	1
D167	147.14	9005-2167	172.0	7.59	1
D171	150.67	9005-2171	176.0	7.46	1
D173	152.43	9005-2173	178.0	7.50	1
D180	158.34	9005-2180	185.0	7.76	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
D195	\$171.75	9005-2195	200.0	8.31	1
D205	180.70	9005-2205	210.0	9.10	1
D210	185.17	9005-2210	215.0	9.46	1
D225	195.63	9005-2225	228.0	10.34	1
D240	208.25	9005-2240	243.0	10.92	1
D255	221.13	9005-2255	258.0	11.50	1
D270	234.55	9005-2270	273.0	12.07	1
D285	247.42	9005-2285	288.0	12.65	1
D300	260.32	9005-2300	303.0	13.22	1
D315	273.45	9005-2315	318.0	14.08	1
D330	286.62	9005-2330	333.0	14.66	1
D345	299.49	9005-2345	348.0	15.23	1
D360	312.37	9005-2360	363.0	15.81	1
D390	339.20	9005-2390	393.0	16.96	1
D420	366.04	9005-2420	423.0	18.11	1
D450	392.87	9005-2450	453.0	19.31	1
D480	419.72	9005-2480	483.0	20.42	1
D540	473.39	9005-2540	543.0	23.04	1
D600	527.06	9005-2600	603.0	25.87	1
D660	580.73	9005-2660	663.0	28.24	1



Product No. Series 9006

E Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
E180	\$229.33	9006-2180	187.0	11.66	1
E195	248.17	9006-2195	202.0	12.46	1
E210	267.46	9006-2210	217.0	13.27	1
E240	300.19	9006-2240	244.0	15.31	1
E270	337.77	9006-2270	274.0	16.91	1
E300	374.78	9006-2300	304.0	18.53	1
E330	412.38	9006-2330	334.0	19.82	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
E360	\$449.51	9006-2360	364.0	21.44	1
E390	489.76	9006-2390	394.0	23.05	1
E420	530.01	9006-2420	424.0	24.75	1
E480	609.18	9006-2480	484.0	27.89	1
E540	689.67	9006-2540	544.0	32.02	1
E600	770.19	9006-2600	604.0	35.28	1
E660	850.69	9006-2660	664.0	38.14	1



Prices Subject To Change Without Notice

