



i tape



CONSUMER MARKET



i tape



CONSUMER MARKET

IPG® manufactures a wide range of consumer products offering solutions to the paint, packaging, HVAC, building and construction industry, and specialty markets. Our specially formulated pressure-sensitive tapes and films are designed with the customer in mind. Whether contractor or DIYer, IPG has the solution for you.

4 NEW FROM IPG

Featuring our newest products



8 MASKING TAPES

Primarily for paint masking on trim, walls, windows, lacquer, floors and woodwork with clean removal



14 AUTOMOTIVE TAPES

Elevate your automotive applications with our diverse selection of masking and duct tapes.



16 DUCT TAPES

For general maintenance applications such as wrapping, sealing, weather proofing, binding and bundling



TABLE OF CONTENTS

23 ELECTRICAL TAPES

UL listed tapes for general-purpose maintenance and repair during electrical work applications



23 HVAC DUCT & FOIL TAPES

For abatement, weatherproofing, extermination, flex duct connections and general-purpose HVAC needs



26 BUILDING & CONSTRUCTION

A variation of products that aid in indoor and outdoor applications



30 INTRODUCING CURBY®

Introducing Curby packaging products and IPG's commitment to sustainability



34 CARTON SEALING TAPES

Used for box sealing, package repair and bundling applications



37 PACKAGING PRODUCTS

Shipping and packaging products for protection and other uses



38 SPECIALTY PRODUCTS

Versatile products useful in a variety of applications outside a specific market



40 MERCHANDISING SOLUTIONS

Display options such as planograms, display cases, POP's and more. Used to organize products in an easily and accessible manner.



NEW FROM IPG



CURBY® PACKAGING

IPG's line of curbside recyclable packaging products!

See page 31 for more details

DEWALT

DEWALT® ULTRA-TOUGH DUCT TAPE

Strong, durable tape for the most demanding applications

See page 18 for more details





Introducing

DEWALT[®]
GUARANTEED TOUGH[®]

ULTRA-TOUGH 17 mil **DUCT TAPE**

DeWalt[®] ULTRA TOUGH DUCT TAPE was designed to tackle the toughest applications. The ultra-strong adhesive will adhere to both smooth and rough conditions providing ultimate performance to get the job done.



For product and ordering information, go to page 18.



HOW IPG STACKS UP

IPG® manufactures a wide range of consumer products offering solutions to the paint, packaging, HVAC, B&C and specialty markets. Our specially formulated pressure-sensitive tapes and films are designed with the customer in mind—whether contractor or DIYer—IPG has the solution for you!



THE CLASSIC.
THE TRUSTED.

YOUR EVERYDAY
WORKHORSE.

SEALS YOUR DUCTS;
SAVES YOU MONEY.

"MR. RELIABLE"

THE CONTRACTOR'S
"GO-TO"

BLOCKS OUT PAINT.
KEEPS LINES CRISP.

"ORANGE IS THE
NEW TAN"

'NUFF
SAID!

MASKING TAPES

IPG Masking Tapes deliver professional painting results! TAPE then PAINT with confidence with our family of industry leading masking tapes. Be sure you're getting the right tape the first time – use our handy Tape Selection Guide below to find the tape best suited for your project.

TAPE

THEN PAINT WITH CONFIDENCE

TAPE SELECTION GUIDE FOR ARCHITECTURAL PAINTING

| | PRO•MASK BLUE® WITH BLOC-IT | PRO•MASK BLUE® | PRO•MASK GREEN® | PG5 | PG505 | PG29 | PRO•MASK PAINTERS® | PG21 |
|--|-----------------------------|----------------|-----------------|-----|-------|------|--------------------|------|
| How long will the tape be used? | | | | | | | | |
| Days with no/indirect sunlight exposure | 21 | 14 | 14 | 3 | 3 | 21 | 1 | 3 |
| What surface would you like to protect? | | | | | | | | |
| Walls and Ceiling | | | | | | | | |
| Primed wallboard, smooth | • | | • | | | • | | |
| Painted wallboard, smooth | • | • | • | • | • | • | • | |
| Painted wall with orangepeel effect* | • | | • | • | • | • | • | |
| Wall with heavy knockdown effect* | • | | • | • | • | • | • | |
| Wallpaper, vinyl coated | • | | • | | | • | | |
| Glass | • | • | • | • | • | • | • | • |
| Ceiling tiles | • | • | • | | | • | | |
| Woodwork and Cabinetry | | | | | | | | |
| Melamine laminate | • | | • | | | | | |
| Wood veneer laminate | • | | • | | | | | |
| Unfinished wood | • | • | • | • | • | • | • | • |
| Stained wood | • | • | • | | | • | | |
| Finished with varnish/lacquer | • | | • | | | • | | • |
| Finished with urethane | • | | • | | | • | | • |
| Overcoating with solvent systems | | | | • | • | | | • |
| Painted woodwork | • | • | • | • | • | • | • | |
| Metal fixtures | • | • | • | • | • | • | • | • |
| Flooring | | | | | | | | |
| Carpet | • | | • | • | • | • | • | • |
| Vinyl | • | • | • | • | • | • | • | • |
| Tile | • | • | • | • | • | • | • | • |
| Hardwood with lacquer/urethane finish | • | | • | | | • | | • |
| Laminate | • | | • | | | | | |
| Paint Line Quality | | | | | | | | |
| Crisp lines for striping/artistic touch | | | | | | | | |
| Smooth glass | • | • | • | • | • | • | • | • |
| Standard painted drywall | • | • | • | • | • | • | • | |
| Rough surfaces, knockdown* | • | | • | • | • | • | • | |

*Edge of tape needs to be rubbed down to push into crevices; test in an inconspicuous place before taping entire room

PRO•MASK BLUE[®]


BLOC•IT[™]

CLEAN LINE TECHNOLOGY

- Blue Masking Tape featuring IPG's Bloc-it Clean Line Technology
- Designed for exposure to sunlight up to 14 days
- Edge treated for clean, crisp paint lines
- Smooth backing for superior paint lines and reduced fingertip abrasion
- For use on lacquer or polyurethane coated surfaces, unfinished wood, wallpaper, or new, unpainted or freshly painted wallboard



Standard Blue Tape



PRO•MASK BLUE with BLOC•IT
Clean Line Technology!



PRO•MASK BLUE[®] WITH BLOC•IT PREMIUM MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------------------|---------------|----|-------------|------|-----------------|-----------------|-------------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 9530-.75 | 0.70 | 60 | 18 | 54.8 | 0-77922-80836-6 | 99486 | 1 | 32 | Y |
| 9531-1 | 0.94 | 60 | 24 | 54.8 | 0-77922-80837-3 | 99438 | 1 | 32 | Y |
| 9532-1.5 | 1.41 | 60 | 36 | 54.8 | 0-77922-80838-0 | 99439 | 1 | 20 | Y |
| 9533-2 | 1.88 | 60 | 48 | 54.8 | 0-77922-80839-7 | 99440 | 1 | 16 | Y |
| CONTRACTOR PACKS | | | | | | | | | |
| PT14..35 | 0.70 | 60 | 18 | 54.8 | 0-87143-00174-3 | 99487 | 12/4 | 48 | Y |
| PT14..36 | 0.94 | 60 | 24 | 54.8 | 0-87143-00175-0 | 99488 | 9/4 | 36 | Y |
| PT14..37 | 1.41 | 60 | 36 | 54.8 | 0-87143-00176-7 | 99489 | 6/4 | 24 | Y |
| PT14..38 | 1.88 | 60 | 48 | 54.8 | 0-87143-00177-4 | 99490 | 6/4 | 24 | Y |
| 87350-3P | 1.88 | 60 | 48 | 54.8 | 0-77922-87530-0 | 99578 | 3/4 | 12 | N |
| QUARTER PALLETS | | | | | | | ROLLS/TRAY | | |
| 99064 | 1.41 | 60 | 36 | 54.8 | 0-77922-80838-0 | 99064 | 24/6 | 144 | Y |
| 99063 | 1.88 | 60 | 48 | 54.8 | 0-77922-80839-7 | 99063 | 24/6 | 144 | Y |

PRO•MASK BLUE®



14 DAY
CLEAN
REMOVAL

- Blue Masking Tape designed for exposure to sunlight up to 14 days
- Exhibits secure adhesion and easy, clean removal from most surfaces
- For use on lacquer or polyurethane coated surfaces, unfinished wood, wallpaper, or new, unpainted or freshly painted wallboard

PRO•MASK BLUE®

14 DAY PAINTER'S TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|------------------------|---------------|----|-------------|------|-----------------|-----------------|-------------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PMD24 | 0.94 | 60 | 24 | 54.8 | 0-77922-99555-4 | 99555 | 1 | 32 | Y |
| PMD36 | 1.41 | 60 | 36 | 54.8 | 0-77922-99556-1 | 99556 | 1 | 20 | Y |
| PMD48 | 1.88 | 60 | 48 | 54.8 | 0-77922-99557-8 | 99557 | 1 | 16 | Y |
| PMD72 | 2.83 | 60 | 72 | 54.8 | 0-77922-99559-2 | 99559 | 1 | 12 | Y |
| QUARTER PALLETS | | | | | | | ROLLS/TRAY | | |
| 99066 | 1.41 | 60 | 36 | 54.8 | 0-77922-99556-1 | 99066 | 24/6 | 144 | Y |
| 99065 | 1.88 | 60 | 48 | 54.8 | 0-77922-99557-8 | 99065 | 24/6 | 144 | Y |



MASKING TAPES



PRO-MASK GREEN® INDOOR/OUTDOOR PAINTER'S MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|----------------------|---------------|----|-------------|------|-------------------|-----------------|-------------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 5802-.75 | 0.70 | 60 | 18 | 54.8 | 0-77922-85802-6 | 89262 | 1 | 48 | N |
| 5803-1 | 0.94 | 60 | 24 | 54.8 | 0-77922-85803-3 | 91401 | 1 | 32 | Y |
| 5804-1.5 | 1.41 | 60 | 36 | 54.8 | 0-77922-85804-0 | 91402 | 1 | 20 | Y |
| 5805-2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85805-7 | 91403 | 1 | 16 | Y |
| SELF SHIPPERS | | | | | | | ROLLS/TRAY | | |
| 3345S | 1.88 | 60 | 48 | 54.8 | 5-00779-22913-348 | 91334 | 27/3 | 81 | Y |

- Designed for exposure to sunlight for up to 8 days
- For use on lacquer or polyurethane coated surfaces, unfinished wood, wallpaper, or new, unpainted or freshly painted wallboard
- Use wherever masking will be exposed to weather/out-of-doors conditions, interior masking of windows (where adhesive will be directly exposed to sunlight)



PG5 PAINTER'S PREMIUM GRADE PAINTER'S MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PG5-18SL | 0.70 | 60 | 18 | 54.8 | 0-87143-00184-2 | PG5...127R | 12/4 | 48 | Y |
| PG5-24SL | 0.94 | 60 | 24 | 54.8 | 0-87143-00185-9 | PG5...128R | 9/4 | 36 | Y |
| PG5-36SL | 1.41 | 60 | 36 | 54.8 | 0-87143-00186-6 | PG5...129R | 6/4 | 24 | Y |
| PG5-48SL | 1.88 | 60 | 48 | 54.8 | 0-87143-00187-3 | PG5...130R | 6/4 | 24 | Y |
| PG5-1560 | 1.41 | 60 | 36 | 54.8 | 0-77922-99778-7 | 99778 | 1 | 20 | Y |

- Designed for 3 day clean removal
- Use for non-critical painting applications
- A paint contractor industry staple for general purpose masking
- Smooth backing for superior paint lines and reduced fingertip abrasion
- Good for use in a wide variety of temperature and humidity conditions



PG5 ORANGE PREMIUM GRADE PAINTER'S MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PMO36C | 1.41 | 60 | 36 | 54.8 | 0-87143-00511-6 | 99590 | 6 | 24 | N |

- Designed for 3 day clean removal
- Use for non-critical painting applications
- A paint contractor industry staple for general purpose masking
- Smooth backing for superior paint lines and reduced fingertip abrasion
- Good for use in a wide variety of temperature and humidity conditions



MASKING TAPES



PG505 PAINTER'S

CONTRACTOR GRADE PAINTER'S MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PG505.120R | 0.70 | 60 | 18 | 54.8 | 0-87143-00170-5 | PG505.120R | 12/4 | 48 | N |
| PG505.121R | 0.94 | 60 | 24 | 54.8 | 0-87143-00171-2 | PG505.121R | 9/4 | 36 | N |
| PG505.122R | 1.41 | 60 | 36 | 54.8 | 0-87143-00172-9 | PG505.122R | 6/4 | 24 | N |
| PG505.123R | 1.88 | 60 | 48 | 54.8 | 0-87143-00173-6 | PG505.123R | 6/4 | 24 | N |

- Tan painter's masking tape designed for use in non-critical painting applications
- A paint contractor industry staple for general purpose masking
- Smooth backing for superior paint lines and reduced fingertip abrasion
- Good for use in a wide variety of temperature and humidity conditions



PRO-MASK ORANGE

CONTRACTOR GRADE PAINTER'S MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PG505-24 | 0.94 | 60 | 24 | 54.8 | 0-77922-99663-6 | 99663 | 9/4 | 36 | N |
| PG505-36 | 1.41 | 60 | 36 | 54.8 | 0-77922-99664-3 | 99664 | 6/4 | 24 | N |
| PG505-48 | 1.88 | 60 | 48 | 54.8 | 0-77922-99665-0 | 99665 | 6/4 | 24 | N |

- Designed for 1 day clean removal
- Use in non-critical painting applications
- A paint contractor industry staple for general purpose masking
- Smooth backing for superior paint lines and reduced fingertip abrasion
- Good for use in a wide variety of temperature and humidity conditions



MASKING TAPES



PRO-MASK PAINTERS®

EVERYDAY PAINTER'S TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 5201-75 | 0.70 | 60 | 18 | 54.8 | 0-77922-71313-4 | 89261 | 1 | 48 | N |
| 5202-1 | 0.94 | 60 | 24 | 54.8 | 0-77922-71314-1 | 91395 | 1 | 32 | Y |
| 5203-1.5 | 1.41 | 60 | 36 | 54.8 | 0-77922-71315-8 | 91396 | 1 | 20 | Y |
| 5204-2 | 1.88 | 60 | 48 | 54.8 | 0-77922-71316-5 | 91397 | 1 | 16 | Y |
| 5205-3 | 2.83 | 60 | 72 | 54.8 | 0-77922-71317-2 | 89279 | 1 | 12 | N |

- Designed for 1 day applications
- Use where excellent cornering and clean removal from surface is desired
- Moisture resistant and stain resistant
- Will withstand bake temperature up to 175°F (80°C) for 30 minutes and/or exposure to ultra-violet light for up to 5 hours



PRO-MASK GP

GENERAL PURPOSE MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 5100-75 | 0.70 | 60 | 18 | 54.8 | 0-77922-71179-6 | 91391 | 1 | 40 | Y |
| 5101-1 | 0.94 | 60 | 24 | 54.8 | 0-77922-71181-9 | 91392 | 1 | 32 | Y |
| 5102-1.5 | 1.41 | 60 | 36 | 54.8 | 0-77922-71183-3 | 91393 | 1 | 20 | Y |
| 5103-2 | 1.88 | 60 | 48 | 54.8 | 0-77922-71185-7 | 91394 | 1 | 16 | Y |
| 5104-3 | 2.83 | 60 | 72 | 54.8 | 0-77922-71187-1 | 89277 | 1 | 12 | N |

- General purpose masking tape designed for light duty, non-critical applications
- Use for home, office, school and hobbies
- Can be used for hanging paper, poly and poster board
- Removes cleanly, will not leave residue on surface



SPECIALTY MASKING



PG29 DELICATE SURFACE PAINTER'S MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PG29..22R | 0.94 | 60 | 24 | 54.8 | 0-87143-00181-1 | PG29..22R | 9/4 | 36 | Y |
| PG29..23R | 1.41 | 60 | 36 | 54.8 | 0-87143-00182-8 | PG29..23R | 6/4 | 24 | Y |
| PG29..24R | 1.88 | 60 | 48 | 54.8 | 0-87143-00183-5 | PG29..24R | 6/4 | 24 | Y |
| PG29-160 | 0.94 | 60 | 24 | 54.8 | 0-77922-99779-4 | 99779 | 1 | 32 | Y |
| PG29-1560 | 1.41 | 60 | 36 | 54.8 | 0-77922-99780-0 | 99780 | 1 | 24 | Y |

- Low tack painter's masking tape designed for delicate surfaces such as wallpaper, wallboard and laminates
- Great for faux finishing applications
- Removes cleanly, will not leave residue on surface
- May be used for wet strip automotive paint masking
- Can be used on lacquer or polyurethane-coated surfaces and unfinished wood
- 21 Day Indoor UV



PG21 LACQUER-RESISTANT PAINTER'S MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PG21..179R | 0.94 | 60 | 24 | 54.8 | 0-87143-00178-1 | PG21..179R | 9/4 | 36 | N |
| PG21..180R | 1.41 | 60 | 36 | 54.8 | 0-87143-00179-8 | PG21..180R | 6/4 | 24 | N |
| PG21..181R | 1.88 | 60 | 48 | 54.8 | 0-87143-00180-4 | PG21..181R | 6/4 | 24 | N |

- Removes cleanly, will not leave residue on surface
- May be used for wet strip automotive paint masking
- Excellent conformability and cornering
- Excellent for use with lacquer and solvent-based products



AUTOMOTIVE TAPES

RUSTOLEUM® BLUE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 99848 | 0.94 | 35 | 24 | 32 | 0-77922-99848-7 | RUSTD24 | 1 | 20 | N |
| 99849 | 1.41 | 35 | 36 | 32 | 0-77922-99849-4 | RUSTD36 | 1 | 20 | N |

- UV-resistant of up to 14 days, humidity, and paint bleed-through
- Conformable masking tape
- Secure adhesion and clean removal from most surfaces
- For interior masking where tape will be exposed to sunlight



FIX-IT DUCTAPE™



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 6930 | 1.88 | 30 | 48 | 27.4 | 0-77922-82978-1 | 89273 | 1 | 24 | N |

- Duct tape designed for general maintenance repairs
- Great for every day household projects and repairs
- Designed to conform to rough, smooth, and irregular surfaces
- Strong and easy to tear



PRO•MASK BLUE® WITH BLOC-IT PREMIUM MASKING TAPE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PT14..35 | 0.70 | 60 | 18 | 54.8 | 0-87143-00174-3 | 99487 | 12/4 | 48 | Y |
| PT14..36 | 0.94 | 60 | 24 | 54.8 | 0-87143-00175-0 | 99488 | 9/4 | 36 | Y |
| PT14..37 | 1.41 | 60 | 36 | 54.8 | 0-87143-00176-7 | 99489 | 6/4 | 24 | Y |
| PT14..38 | 1.88 | 60 | 48 | 54.8 | 0-87143-00177-4 | 99490 | 6/4 | 24 | Y |

- Blue Masking Tape featuring IPG's Bloc-it Clean Line Technology
- Designed for exposure to sunlight up to 14 days
- Edge treated for clean, crisp paint lines
- Smooth backing for superior paint lines and reduced fingertip abrasion
- For use on lacquer or polyurethane coated surfaces, unfinished wood, wallpaper, or new, unpainted or freshly painted wallboard





HAND MASKING FILM



Hand Masking Film from IPG is a pre-folded, high density polyethylene masking film designed for multiple paint applications such as marine, composites, bus, truck, specialty vehicle, automotive repair and home improvement. The thick and durable 12 micron film is treated to resist overspray flaking during multiple gelcoat applications. This special film is designed with a reinforced top edge formulated to prevent the underlying film from sticking.

PERFORMANCE ADVANTAGES

- Pre-folded masking film that prevents overspray and resists paint flaking
- Reinforced top edge to allow for easy dispensing and positioning of the film
- Stain resistant, temperature resistant and solvent resistant
- Static treated to cling to wall
- Comes in multiple sizes

HAND MASKING FILM

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|-----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| HMF24 | 24 | 180 | 609.6 | 54.8 | 0-87143-00214-6 | HMF...24 | 1 | 12 | N |
| HMF36 | 36 | 90 | 914.4 | 27.4 | 0-87143-00215-3 | HMF...36 | 1 | 12 | N |
| HMF48 | 48 | 180 | 1219.2 | 54.8 | 0-87143-00216-0 | HMF...48 | 1 | 12 | N |
| HMF72 | 72 | 90 | 1828.8 | 27.4 | 0-87143-00217-7 | HMF...72 | 1 | 12 | N |
| HMF99 | 99 | 90 | 2514.6 | 27.4 | 0-87143-00218-4 | HMF...99 | 1 | 12 | N |



NEW

LOOK

**SAME
GREAT
PRODUCTS**



DEWALT®

ULTRA-TOUGH 17 mil DUCT TAPE

DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/ PACK | CASE QUANTITY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|----------------|---|
| | in | yd | mm | m | | | | |
| DWD30 | 1.88 | 30 | 48 | 27.4 | 0-77922-99233-1 | 99233 | 1 | 12 |
| DWD10 | 1.88 | 10 | 48 | 9 | 0-77922-99077-1 | 99077 | 1 | 12 |
| DWD60 | 1.88 | 30 | 48 | 27.4 | 0-77922-99032-0 | 99032 | 2 | 12 |
| - | 1.88 | 30 | 48 | 27.4 | 0-77922-99233-1 | 99684 | - | 6 trays / 18 rolls each (108 rolls total) |

HEAVY DUTY WOVEN CLOTH

Extra strong backing made for the toughest applications

ULTRA-STRONG ADHESIVE

Will adhere to smooth and rough surfaces

ALL-WEATHER PERFORMANCE

Ultimate performance to get the job done in the most demanding environments



GUARANTEED TOUGH.®

WE JUST TOOK
THE MOST VERSATILE
TOOL
IN THE TOOLBOX
TO THE **NEXT**
LEVEL



HEAVY DUTY 
WOVEN CLOTH

ALL-WEATHER PERFORMANCE 

SUPER THICK AGGRESSIVE ADHESIVE 

GUARANTEED TOUGH.®



NEW &

IMPROVED

40% MORE ADHESION!



Iron Grip® Duct Tape is designed with an aggressive, pressure-sensitive natural rubber adhesive providing secure adhesion to a variety of surfaces under a wide range of temperature conditions. Iron Grip provides easy dispensing from the roll for temporary patching of utility access holes, taping of ductwork, and a variety of heavy-duty demanding applications requiring high strength and adhesion.



Available in countertop or floor display

DUCT TAPE STRONGER.

IRON GRIP ULTRA TOUGH PREMIUM DUCTTAPE

| ITEM NUMBER | IMPERIAL SIZE | METRIC SIZE | UNIT UPC | RESOURCE NUMBER | ROLLS/ PACK | ROLLS/ CASE | DISPLAY TRAY |
|-------------|----------------|-------------|-----------------|-----------------|-------------|-------------|--------------|
| IG235* | 1.88in x 35yds | 48mm x 32m | 0-77922-99580-6 | 99580 | 1 | 12 | Y |
| IG1212 | 1.88in x 10yds | 48mm x 9.1m | 0-77922-99654-4 | 99654 | 1 | 12 | N |

*3-case order of IG235 eligible for floor display

SELF-FUSING SILICONE TAPE

Iron Grip® Silicone Tape is a self-fusing, repair tape that conforms to any surface while providing a water-tight seal. Silicone Tape creates a chemical, moisture-resistant barrier that fixes leaky pipes, hoses and insulates frayed electrical wires. It is easy to remove, leaves no sticky residue and protects from corrosion. Ideal for marine, automotive, plumbing and household applications, plus many more!



SEALS • PROTECTS • REPAIRS • INSULATES

- Insulates up to 8,000 volts
- 300% Stretch
- -85°F to 500°F
- 700 PSI



Repairs/insulates electrical wires



Repairs loose or leaky plumbing



Creates a firm grip on handle



Wrap hoses for an airtight seal

IRON GRIP

SILICONE TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | COLOR | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|---|-----------------|-----------------|-------|------------|------------|--------------|
| | in | ft | mm | m | | | | | | |
| SBK110 | 1 | 10 | 25.4 | 3 | 0-77922-99694-0 | 99694 | Black | 1 | 6 | Y |
| SC110 | 1 | 10 | 25.4 | 3 | 0-77922-99695-7 | 99695 | Clear | 1 | 6 | Y |
| SW110 | 1 | 10 | 25.4 | 3 | 0-77922-99698-8 | 99698 | White | 1 | 6 | Y |



DUCT TAPES

Whether the job requires heavy duty or general purpose strength, a neutral silver or colored surface, or a temporary or permanent hold, IPG's duct tape is the solution for holding it, fastening it, securing it, sealing it, binding it or bundling it!

XHD DUCTAPE®

10 MIL DUCT TAPE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 9600 | 1.88 | 60 | 48 | 54.8 | 0-77922-76199-9 | 91411 | 1 | 24 | Y |
| 9601 | 1.88 | 30 | 48 | 27.8 | 0-77922-76198-2 | 85875 | 1 | 24 | N |
| 9602 | 1.88 | 10 | 48 | 9.1 | 0-77922-76615-4 | 85635 | 1 | 36 | N |
| 9603 | 2.83 | 60 | 72 | 54.8 | 0-77922-77022-9 | 85636 | 1 | 16 | N |


- Extra heavy duty duct tape designed for permanent and critical repairs
- Hand tearable

- Works on a variety of rough, smooth and irregular surfaces
- Moisture resistant



JOBSITE DUCTAPE®

9 MIL DUCT TAPE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY | COLOR |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|------------|
| | in | yd | mm | m | | | | | | |
| 6700 | 1.88 | 60 | 48 | 54.8 | 0-77922-72982-1 | 91410 | 1 | 24 | Y | Silver |
| 4398 | 3.77 | 60 | 96 | 54.8 | 0-77922-84398-5 | 89280 | 1 | 8 | N | Silver |
| 20C-BL 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85601-5 | 20C-BL 2 | 1 | 24 | N | Blue |
| 20C-GR 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85603-9 | 20C-GR 2 | 1 | 24 | N | Green |
| 20C-W 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85604-6 | 91409 | 1 | 24 | Y | White |
| 20C-OR 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85605-3 | 20C-OR 2 | 1 | 24 | N | Orange |
| 20C-R 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85607-7 | 91408 | 1 | 24 | Y | Red |
| 20C-BK 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85746-3 | 91407 | 1 | 24 | Y | Black |
| 20C-OD 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85014-3 | 20C-OD 2 | 1 | 24 | N | Olive Drab |
| 20C-Y 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85606-0 | 20C-Y 2 | 1 | 24 | N | Yellow |
| 6720WHT | 1.88 | 20 | 48 | 18.2 | 0-77922-85768-5 | 99041 | 6/6 | 12 | Y | White |
| 6720BLK | 1.88 | 20 | 48 | 18.2 | 0-77922-85763-0 | 99042 | 6/6 | 12 | Y | Black |
| 6720BLU | 1.88 | 20 | 48 | 18.2 | 0-77922-85764-7 | 99043 | 6/6 | 12 | Y | Blue |
| 6720RED | 1.88 | 20 | 48 | 18.2 | 0-77922-85767-8 | 99044 | 6/6 | 12 | Y | Red |
| 6720GRN | 1.88 | 20 | 48 | 18.2 | 0-77922-85766-1 | 99045 | 6/6 | 12 | Y | Green |
| 6720YEL | 1.88 | 20 | 48 | 18.2 | 0-77922-85762-3 | 99046 | 6/6 | 12 | Y | Yellow |

- Contractor grade duct tape designed for critical job site repairs and everyday projects
- Works on a variety of surfaces including both rough and smooth

- Designed to conform to irregular surfaces
- Strong and easy to tear
- Available in 9 colors



DUCT TAPES



FIX-IT DUCTAPE® 7 MIL DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 6900 | 1.88 | 55 | 48 | 50.2 | 0-77922-76650-5 | 91406 | 1 | 24 | Y |
| 6945 | 1.88 | 45 | 48 | 41.1 | 0-77922-86274-0 | 86274 | 1 | 24 | N |
| 6930 | 1.88 | 30 | 48 | 27.4 | 0-77922-82978-1 | 89273 | 1 | 24 | N |
| 5672 | 2.83 | 60 | 72 | 54.8 | 0-77922-85672-5 | 5672 | 1 | 16 | N |
| 6910 | 1.88 | 10 | 48 | 9.1 | 0-77922-79807-0 | 91405 | 1 | 24 | Y |


- Duct tape designed for general maintenance repairs
- Great for every day household projects and repairs
- Designed to conform to rough, smooth, and irregular surfaces
- Strong and easy to tear



UTILITY GRADE 6 MIL DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 6560 | 1.88 | 55 | 48 | 50.2 | 0-77922-99463-2 | 99463 | 1 | 24 | Y |
| 6555SL | 1.88 | 55 | 48 | 50.2 | 0-77922-88008-9 | 88008 | 3 | 8 packs | N |


- Duct tape designed for non-critical home and office repairs
- Great for packing, wrapping, sealing, binding, bundling and weather proofing
- Works on a variety of surfaces including both rough and smooth
- Designed to conform to irregular surfaces



ELECTRICAL TAPES

MEDIUM GRADE

7 MIL VINYL ELECTRICAL TAPE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY | COLOR |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|--------|
| | in | ft | mm | m | | | | | | |
| 607 | 0.75 | 66 | 19 | 20.1 | 0-77922-85515-5 | 85835 | 20/6 | 120 | Y | Black |
| 607GRN | 0.75 | 60 | 19 | 18.2 | 0-77922-84113-4 | 85827 | 20/6 | 120 | Y | Green |
| 607WHT | 0.75 | 60 | 19 | 18.2 | 0-77922-84114-1 | 85828 | 20/6 | 120 | Y | White |
| 607YEL | 0.75 | 60 | 19 | 18.2 | 0-77922-84116-5 | 85830 | 20/6 | 120 | Y | Yellow |
| 607BLU | 0.75 | 60 | 19 | 18.2 | 0-77922-84117-2 | 85831 | 20/6 | 120 | Y | Blue |
| 607RED | 0.75 | 60 | 19 | 18.2 | 0-77922-84118-9 | 85832 | 20/6 | 120 | Y | Red |

- Black vinyl insulating tape consisting of a soft "plasticized" stabilized PVC with a non-corrosive rubber based adhesive
- Resistant to water, oils, acids, alkalis and other corrosive chemicals
- Usage in temperature is up to 80°C (176°F)
- Use to repair frayed wiring, splicing electrical wiring, protect 'wire-nut' connections, resurface and insulate hand tools and general purpose maintenance/repair
- CSA and UL listed
- Lead-free



ECONOMY GRADE

7 MIL VINYL ELECTRICAL TAPE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | ft | mm | m | | | | | |
| 602 | 0.75 | 60 | 19 | 18.2 | 0-77922-85680-0 | 602 | 10/20 | 200 | N |

- Black vinyl electrical insulating tape consisting of a soft 'plasticized' stabilized PVC film coated with a non-corrosive rubber based adhesive
- Resistant to water, oils, acids, alkalis and other corrosive chemicals
- Usage in temperature is up to 80°C (176°F)
- Use to repair frayed wiring, splicing electrical wiring, protect 'wire-nut' connections, resurface and insulate hand tools and general purpose maintenance/repair
- UL listed



HVAC DUCT & FOIL TAPES

IPG offers a complete line of products specifically engineered to meet the most stringent requirements of the HVAC and B&C industries. These products are engineered for a wide range of applications and environments. IPG's HVAC tapes are UL-Rated, UL-Listed and USGBC LEED point contributors.

TUCK TAPE® FLEXPRO®

UL181B-FX LISTED & CAN/ULC-S102 LISTED



| RESOURCE NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UPC | ROLLS/PACK | ROLLS/CASE | COLOR |
|-----------------|---------------|--------|-------------|-----|-----------------|------------|------------|------------|
| | in | yd | mm | m | | | | |
| 2020148110 | 1.88 | 120.29 | 48 | 110 | 0-67735-20148-5 | 1 | 24 | Black |
| 2022148110 | 1.88 | 120.29 | 48 | 110 | 0-67735-20224-6 | 1 | 24 | Metallized |

- BOPP film tape with aggressive acrylic adhesive designed for seaming, closing and repairing flexible ducts with a non-corrosive rubber based adhesive
- Superior flexibility allows conformability to a variety of shapes corrosive chemical
- Excellent adhesion in a wide range of temperatures, up to 210°F
- UL markings printed on the tape for easy identification
- Hand tears, no dispenser needed
- UV resistant
- Mold resistant
- Longer lasting than most duct tapes



HVAC DUCT & FOIL TAPES



ALUMINUM FOIL TAPE

1.5 MIL TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 9200 | 1.88 | 10 | 48 | 9.1 | 0-77922-77111-0 | 91412 | 1 | 24 | Y |
| 9201 | 1.88 | 30 | 48 | 27.4 | 0-77922-77112-7 | 89268 | 1 | 24 | Y |
| 9202-B | 1.88 | 50 | 48 | 45.7 | 0-77922-76193-7 | 99605 | 1 | 12 | Y |
| 9203 | 2.83 | 50 | 72 | 45.7 | 0-77922-77113-4 | 77113 | 1 | 16 | N |

- General purpose aluminum foil tape for seaming and sealing fiberglass duct board and duct wrap
- Enhances appearance and maintains vapor barrier integrity
- Recommended minimum application temperature 40°F (4°C)
- Shiny aluminum backing offers excellent reflective properties (i.e. heat and light)
- CE ASTM E-84 / UL-723



UL181 FOIL TAPE

ALUMINUM 2 MIL UL181 AP-B-FX LISTED

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 5010-B | 2.5 | 60 | 63.5 | 54.8 | 0-87143-00222-1 | 99607 | 1 | 12 | Y |
| 5011 | 3 | 60 | 76.2 | 54.8 | 0-77922-00115-6 | ALF201LUL360HR | 1 | 16 | Y |

- Printed aluminum foil tape designed for easy identification and inspection in HVAC applications
- All-temperature rated, flame retardant, high shear adhesion, UV and mold resistant
- For general purpose seaming, patching and sealing of rigid fiber air duct and connector closure systems
- UL181A-P and UL181B-FX Listed



COLD WEATHER ALUMINUM

1.75 MIL TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 9502-B | 2 | 50 | 50.8 | 45.7 | 0-77922-00123-1 | 99606 | 1 | 12 | Y |
| 9503 | 3 | 50 | 76.2 | 45.7 | 0-77922-00124-8 | ALF175L0350HR | 1 | 16 | Y |

- Aluminum foil tape engineered and designed for seaming, patching, and sealing
- Superior bonding when exposed to either sub-zero or elevated temperatures
- Flame retardant, UV and mold resistant with excellent reflective properties (i.e. heat, light)
- GOVERNMENT COMPLIANCE: ASTM E-84 / UL-723



FSK JACKETING TAPE

FOIL-SCRIM INSULATION TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|-------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| FSK3-HC | 2.95 | 50 | 75 | 45.72 | 0-77922-99712-1 | 99761 | 1 | 4 | Y |

- Foil-scrim-kraft tape designed to seam and seal ductboard and insulation
- Enhances appearance and maintains vapor barrier integrity
- Full bond within 24 hours
- Remains flexible, resists cracking and lifting

HVAC DUCT & FOIL TAPES



ALF MASTIC TAPE BUTYL MASTIC FOIL TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|-----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | ft | mm | m | | | | | |
| MF2100 | 1.88 | 100 | 48 | 30.4 | 0-77922-99631-5 | 99631 | 1 | 12 | N |
| MF3100 | 2.88 | 100 | 73 | 30.4 | 0-77922-99632-2 | 99724 | 1 | 4 | Y |

- 17 mil aluminum 'mastic' foil tape designed for replacement applications and general purpose duct joint and HVAC applications
- Use on sheet metal, duct board, flex duct, PVC coated duct and duct wrap barriers
- Tested in accordance with UL-723
- VOC Limitations SCAQMD Rule 1168; City of Los Angeles Approval RR#8069



FAN & VENT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|-----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| VF210UL | 2.5 | 10 | 63.5 | 9.1 | 0-77922-99986-6 | 99986 | 1 | 12 | Y |

- Heat resistant
- Seals to prevent air leakage
- Blocks odors and moisture
- Aggressive adhesive
- Conforms to UL specifications
- Printed tape



RN 99713

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|-------|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| ALF161LA | 1.88 | 49.98 | 48 | 45.7 | 0-77922-99691-9 | 99713 | 1 | 24 | N |

- Aluminum foil tape engineered and designed for seaming, patching, and sealing
- Shiny aluminum backing offers excellent reflective properties (i.e. heat and light)
- Superior bonding in sub-zero or elevated temperatures
- Can be used in temperatures -25°F to 176°F (-32°C to 80°C)
- Tested in accordance with UL-723

AC36 DUCT TAPE MEDIUM 11 MIL DUCT TAPE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY | COLOR |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|--------|
| | in | yd | mm | m | | | | | | |
| 4137 | 1.88 | 60 | 48 | 54.8 | 0-77922-84137-0 | 4137 | 1 | 24 | N | Silver |
| 4382 | 1.88 | 60 | 48 | 54.8 | 0-77922-84382-4 | 4382 | 1 | 24 | N | Black |
| 4335 | 1.88 | 60 | 48 | 54.8 | 0-77922-84335-0 | 4335 | 1 | 24 | N | Red |

- For HVAC applications, asbestos/lead/fiberglass abatement and extermination
- For weather-proofing, gasket material for flex-duct connections and temporary wrapping
- Meets HUD, L.A. County, and BOCA codes; Tested in accordance with UL-723

HVAC DUCT & FOIL TAPES



AC45 DUCT TAPE

MEDIUM 12 MIL DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 4138 | 1.88 | 60 | 48 | 54.8 | 0-77922-84138-7 | 4138 | 1 | 24 | N |

- Ideal for HVAC applications, asbestos/lead/fiberglass abatement
- Recommended for use where high adhesion and conformability are required
- Meets HUD, L.A. County, and BOCA codes; Tested in accordance with UL-723



AC49 METALIZED DUCT TAPE

MEDIUM 11 MIL METALIZED DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| AC4948 | 1.88 | 60 | 48 | 54.8 | 0-77922-82764-0 | 82764 | 1 | 24 | N |

- For HVAC applications, asbestos/lead/fiberglass abatement and extermination
- For weather-proofing, gasket material for flex-duct connections and temporary wrapping
- Meets HUD, L.A. County, and BOCA codes; Tested in accordance with UL-723
- Metalized coating helps protect tape from UV and blends in where bright finished ductwork is left exposed



AC50 DUCT TAPE

PREMIUM 14 MIL DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 4139 | 1.88 | 60 | 48 | 54.8 | 0-77922-84139-4 | 84139 | 1 | 24 | N |

- Ideal for HVAC applications, asbestos/lead/fiberglass abatement
- Maximum performance for sealing heating and air ventilation systems
- Meets HUD, L.A. County, and BOCA codes; Tested in accordance with UL-723
- Meets ASTM D5486 Type IV ; PPP-T-60, Type IV, Class 1

BUILDING & CONSTRUCTION PRODUCTS



STUCCO MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 4379PL | 1.88 | 60 | 48 | 54.8 | 0-77922-84379-4 | 4379S | 1 | 24 | N |

- Based on durable, moisture resistant backing with an adhesive that bonds well to most surfaces
- Easy tear edges for ease of application
- UV resistant and performs well over a wide range of temperature (including cold) conditions
- Preferred for use in exterior insulation and finish systems (EIFS) and as masking during stucco application Can also be used for splicing PE films and surface protection



BUILDING & CONSTRUCTION PRODUCTS

SHEATHING TAPE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY | COLOR |
|-------------|---------------|------|-------------|----|-----------------|-----------------|------------|------------|--------------|-------|
| | in | yd | mm | m | | | | | | |
| 5518USW | 1.88 | 54.6 | 48 | 50 | 0-77922-85518-6 | 85518 | 1 | 24 | N | White |
| 5561USR | 1.88 | 54.6 | 48 | 50 | 0-77922-85561-2 | 85561 | 1 | 24 | N | Red |

- Sheathing tape designed and engineered for permanent seaming and sealing of joints in foam insulation and housewrap applications
- Provides superior sealing, protective benefits, and ease of handling
- Eliminates drafts around window and door openings
- UV resistant and provides superior bonding at sub-zero (as low as -40°C) or at elevated temperatures

PALISADE SHEATHING TAPE



| RESOURCE NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY | COLOR |
|-----------------|---------------|------|-------------|----|-----------------|------------|------------|--------------|-------|
| | in | yd | mm | m | | | | | |
| 207084850 | 1.88 | 54.6 | 48 | 50 | 0-77922-20748-0 | 1 | 36 | N | Blue |
| 207087250 | 2.83 | 54.6 | 72 | 50 | 0-77922-20772-5 | 1 | 24 | N | Blue |

- Designed for sealing joints of sheathing materials and preventing air infiltration
- Adheres to plastic, metal, smooth surfaces and performs excellent on polyethylene materials
- Water, moisture and mold resistant
- Resists UV rays up to 6 months
- Work in extreme weather (-40°F to 212°F)

DRYWALL TAPE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY | |
|------------------------|---------------|-----|-------------|------|-----------------|-----------------|------------|------------|--------------|--|
| | in | ft | mm | m | | | | | | |
| FIBERGLASS MESH | | | | | | | | | | |
| 2072 | 1.9 | 300 | 48.2 | 91.4 | 0-77922-82147-1 | 2072 | 1 | 12 | N | |
| PAPER DRYWALL | | | | | | | | | | |
| 2052 | 2.06 | 250 | 52.3 | 76.2 | 0-77922-82149-5 | 82149 | 1 | 20 | N | |

FIBERGLASS MESH

- Eliminates shrinkage, tears and bubbles common with paper joint tape
- For repairing cracks, patching holes and mending seams common in plaster and drywall installation
- ASTM D1668-80, Type III

PAPER DRYWALL

- Exceptional wet strength, resists stretching, wrinkling and other distortions
- Designed for use with joint compound for reinforcing joints and corners and gypsum drywall interiors
- Special cross fiber papers offer tensile strength both with and across the paper grain
- ASTM C475

INDOOR CARPET TAPE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 9970 | 1.88 | 36 | 48 | 32.9 | 0-77922-76196-8 | 76196 | 1 | 12 | N |
| 9971 | 1.88 | 10 | 48 | 9.1 | 0-77922-77058-8 | 89266 | 1 | 20 | N |

- Double-sided tape great for positioning and holding down carpet
- Works for mounting novelties and promotional items, sign positioning, splicing, and any application that requires the joining of two surfaces
- Good initial tack allowing immediate, permanent bond to a variety of surfaces
- For indoor use only



BUILDING & CONSTRUCTION PRODUCTS



RUBBER TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/ PACK | ROLLS/ CASE | DISPLAY TRAY |
|---------------|---------------|----|-------------|-----|-----------------|-----------------|----------------|----------------|-----------------|
| | in | ft | mm | m | | | | | |
| 5517 - Rubber | 0.75 | 22 | 19 | 6.7 | 0-77922-85517-9 | 5517 | 1 | 100 | N |

- Semi-cured rubber tape designed for low voltage electrical insulation
- UL approved for use as primary insulation not exceeding 600 volts
- Easily conforms to irregular shapes and surfaces
- Resistant to water, oils, acids, alkalis and other corrosive chemicals



REINFORCED CONSTRUCTION PAPER

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/ PACK | ROLLS/ PALLET |
|-------------|---------------|-----|-------------|------|-------------------|-----------------|----------------|------------------|
| | in | ft | mm | m | | | | |
| CCP36 | 36 | 300 | 914.4 | 91.4 | 5-00739-49500-288 | K73214 | 1 | 42 |
| CCP48 | 48 | 300 | 1219.2 | 91.4 | 5-00739-49500-295 | K73215 | 1 | 42 |
| CCP72 | 72 | 300 | 1828.8 | 91.4 | 5-00739-49500-271 | K73213 | 1 | 42 |

- 3-way reinforced natural kraft paper
- Used as a protection for finished floors and surfaces during construction or remodeling and repair
- Non-bleeding, non-staining
- Skid and slip resistant
- Water and oil resistant
- Withstands medium to heavy foot traffic



BARRICADE RIBBON

| ITEM NUMBER | PRINT | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/ PACK | ROLLS/ CASE |
|-------------|---------------------|---------------|------|-------------|-------|-----------------|-----------------|----------------|----------------|
| | | in | ft | mm | m | | | | |
| 600WP 300 | Wet Paint | 3 | 300 | 76.2 | 91.4 | 0-77922-80678-2 | 600WP 300 | 1 | 16 |
| 600CB 300 | Caution Cuidado | 3 | 300 | 76.2 | 91.4 | 0-77922-99026-9 | 600CB 300 | 1 | 16 |
| 600CB 1000 | Caution Cuidado | 3 | 1000 | 76.2 | 304.8 | 0-77922-99027-6 | 600CB 1000 | 1 | 8 |
| 600DNE1000 | Danger Do Not Enter | 3 | 1000 | 76.2 | 304.8 | 0-77922-85074-7 | 600DNE1000 | 1 | 8 |

- Barricade ribbon designed to restrict entry and identify boundaries of hazardous areas
- Bright colors with black lettering for high visibility
- All weather, UV, water and tear resistant
- Contains no lead or toxic chemicals
- Available in multiple colors and prints



CLEAR REPAIR TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/ PACK | ROLLS/ CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|----------------|----------------|-----------------|
| | in | yd | mm | m | | | | | |
| 5634 | 1.88 | 36 | 48 | 32.9 | 0-77922-85634-3 | 5634S | 1 | 24 | N |

- For temporary repair or splicing of polyethylene sheeting, home, office, recreational repairs and surface protection
- Great for both indoor and outdoor uses
- Excellent for low temperature bonding
- Applications include wrapping, sealing, binding, bundling, and general maintenance



THREADSEAL TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/ PACK | ROLLS/ CASE | DISPLAY TRAY |
|-------------|---------------|-----|-------------|-----|-----------------|-----------------|----------------|----------------|-----------------|
| | in | in | mm | m | | | | | |
| 11 1/2X260 | 0.5 | 260 | 12.7 | 6.6 | 0-77922-85740-1 | 11 1/2X260 | 200/6 | 1200 | N |

- Designed for use on iron, stainless steel, copper, brass, plastic, glass or rubber
- Withstands alkalis, acids, oils and solvents
- Made of chemically inert material
- Temperature resistant -400°F to 700°F
- Meets MIL-T-27730-A

BATHROOM

SILICONE TAPE

- Self adhering silicone tape is the perfect tape for all your leaky pipe repairs

OFFICE

FIX-IT DUCTape®

- Reliable for your everyday quick fixes

BEDROOM

PRO•MASK BLUE® WITH BLOC•IT

- Delivering clean, crisp paint lines to create the bedroom of your dreams

KITCHEN

10YD IRON GRIP® DUCT TAPE

- Iron Grip tape is the perfect heavy duty tape for heavy household repairs

LIVING ROOM

INDOOR CARPET TAPE

- Double sided carpet tape is ideal for positioning and securing your favorite area rugs

PRODUCTS FEATURED:



10YD IRON GRIP®
DUCT TAPE



CARPET
TAPE



SILICONE
TAPE



FIX-IT
DUCTape®



PRO•MASK BLUE®
WITH BLOC•IT



Introducing



Meet Curby, IPG's line of sustainable packaging products. As E-commerce shipping volumes rapidly increase and consumers become ever more aware of their environmental impact, IPG's curbside-friendly products are the logical next step in packaging. Curby products promote a *circular economy* and help answer these E-commerce growth challenges.

Curby products offer peace of mind that your package is **sustainably sourced**, **securely shipped**, and **curbside recyclable**. Join Curby and do your part to support a healthy planet.



For more information, visit mycurby.com

Answering the call for sustainable packaging alternatives, Curby® is IPG's line of curbside-friendly products. With E-commerce shipping volumes rapidly increasing and consumers becoming ever more aware of their environmental impact, IPG's curbside-friendly products are the logical next step in packaging. Curby products promote a circular economy and help answer these E-commerce growth challenges.



MINI-TAPER®

- Soft touch tape delivery
- Easy push tape dispensing
- Self-contained cutting mechanism delivers clean, even cutting of reinforced kraft water-activated tape
- Better Pack® water brushes provide consistent, uniform tape wetting
- Refillable and spill-resistant water tank holds enough water to activate one roll of tape
- Push lever dispenses 10" length of tape; repeat push lever for longer tape lengths



CURBY MINI-TAPER®

| RESOURCE NUMBER | IMPERIAL DIMENSIONS | | | METRIC DIMENSIONS | | | UNIT UPC | CASE UPC | ELECTRICAL REQUIREMENT | TAPE WIDTH |
|-----------------|---------------------|----|-------|-------------------|---------|---------|-----------------|--------------------|------------------------|-------------|
| | L | W | H | L | W | H | | | | |
| BP222 | 14.1" | 8" | 7.25" | 35.8 cm | 20.3 cm | 18.4 cm | 0-77922-99296-6 | 5-00-77922-99296-1 | N/A | 70mm - 72mm |



CURBY TAPE®

REINFORCED WATER-ACTIVATED PAPER TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | CASE UPC | RESOURCE NUMBER | ROLLS/CASE |
|-------------|---------------|------|-------------|-----|-----------------|--------------------|-----------------|------------|
| | in | yd | mm | m | | | | |
| CBWAT | 2.75 | 76.5 | 70 | 100 | 0-77922-99298-0 | 5-00-77922-99298-5 | 99298 | 4 |

- Water-activated tape bonds instantly to both virgin and recycled fiber surfaces
- Provides a tamper-evident seal
- Retains integrity if punctured
- One strip produces a sturdy seal





CURBY MAILER®

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | CASE UPC | RESOURCE NUMBER | MAILERS/CASE |
|-------------|---------------|---------|-------------|---------|-----------------|--------------------|-----------------|--------------|
| | L | W | L | W | | | | |
| CBML2C | 9.5" | 9.875" | 241.3mm | 250.8mm | 0-77922-99320-8 | 5-00-77922-99320-3 | 99320 | 30 |
| CBML5C | 15.5" | 9.875" | 393.7mm | 250.8mm | 0-77922-99321-5 | 5-00-77922-99321-0 | 99321 | 30 |
| CBML6C | 18.5" | 11.875" | 469.9mm | 301.6mm | 0-77922-99322-7 | 5-00-77922-99322-7 | 99322 | 30 |



THE LATEST AND MOST INNOVATIVE MAILER ON THE MARKET

- Paper based
- Curbside recyclable and sustainable and easily disposed with all your other recyclable materials
- Lined with HexcelWrap™ honeycomb paper structure which offers substantial benefits over traditional wrapping materials



THE HONEYCOMB: NATURE'S MARVEL OF PACKAGE ENGINEERING

The Curby Mailer contains an integrated honeycomb paper structure that replaces the air-filled bubbles in poly and paper padded mailers making the Curby Mailer curbside recyclable



CURBY FILL™

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | CASE UPC | RESOURCE NUMBER |
|-------------|---------------|------|-------------|-------|-----------------|--------------------|-----------------|
| | in | ft | mm | m | | | |
| CBP2 | 15.25 | 1000 | 387 | 304.8 | 0-77922-99314-7 | 5-00-77922-99314-2 | 99314 |

- Engineered void fill for maximum cushioning protection
- Interlocking honeycomb design offers superior backing and bracing
- Easy to dispose
- Expands to 24X its original volume
- 100% recyclable and sustainable
- Eliminates movement of product during transport



CURBY MINI-PACK™

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | CASE UPC | RESOURCE NUMBER |
|-------------|---------------|-----|-------------|------|-----------------|--------------------|-----------------|
| | in | ft | mm | m | | | |
| CBP1 | 12 | 300 | 305 | 91.4 | 0-77922-99313-0 | 5-00-77922-99313-5 | 99313 |

- Maximum cushioning
- Interlocking honeycomb design reduces shifting and damage
- 100% curbside recyclable
- Fast and easy to Use
- Ideal for use with glassware, ceramics and other fragile materials



CURBY WRAP® PAD

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | CASE UPC | RESOURCE NUMBER |
|-------------|---------------|----|-------------|-----|-----------------|--------------------|-----------------|
| | in | in | mm | mm | | | |
| CBP3 | 15.25 | 25 | 387 | 635 | 0-77922-99300-0 | 5-00-77922-99300-5 | 99300 |

- Use to pack fragile items for moving, shipping, or storage
- Interlocking honeycomb design reduces shifting and damage



Durable 3.0 mil BOPP film with high grade acrylic adhesive. Excellent clarity, superior quick-stick performance, controlled unwind. Reliable performance, even works under 40°F and over 120°F! Resists aging, weathering, UV light, and yellowing.



CLEAR TO THE CORE[®] PREMIUM PACKING TAPE

CLEAR TO THE CORE[®]

3.0 MIL PREMIUM PACKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/ PACK | ROLLS/ CASE | DISPLAY TRAY |
|-------------|---------------|------|-------------|----|-----------------|-----------------|----------------|----------------|--------------|
| | in | yd | mm | m | | | | | |
| CTTC24 | 1.88 | 60.1 | 48 | 55 | 0-77922-99670-4 | 99657 | 1 | 12 | N |
| 341CTTC-6PK | 1.88 | 60.1 | 48 | 55 | 0-77922-99644-5 | 99644 | 6 | 36 | N |

CARTON SEALING TAPES

IPG's Carton Sealing Tapes are versatile and specially-designed for a variety of applications, featuring a holding power formulated for consistent, reliable closures. Each tape embodies specific properties, making them the ideal choice for packing, shipping, storing, or moving applications.



PREMIUM PACKING TAPE

3 MIL HOT MELT & FLATBACK TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-----------------------------|---------------|------|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 3 MIL HOT MELT | | | | | | | | | |
| PSC50 | 1.88 | 60.1 | 48 | 55 | 0-77922-99494-6 | 99494 | 1 | 16 | Y |
| KRAFT PAPER FLATBACK | | | | | | | | | |
| 9341 | 1.88 | 60 | 48 | 54.8 | 0-77922-76200-2 | 525..3 | 1 | 24 | N |

3 mil Hot Melt

- Packing tape designed for extra heavy boxes up to 70lbs
- Works well in application environments down to 35°F
- Featuring Corrugrip Adhesive Technology, the ideal choice for recycled corrugate boxes

Premium Paper Flatback

- Premium Kraft paper flatback packaging tape designed for extra heavy boxes
- Moisture resistant backing
- Use for under or overstuffed boxes, package repair, package damage protection and more



MOVING TAPE

1.6 MIL HOT MELT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|------|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 610C | 1.88 | 54.6 | 48 | 50 | 0-77922-84120-2 | 91390 | 1 | 16 | N |
| 2662 | 1.88 | 54.6 | 48 | 50 | 0-77922-82662-9 | 91415 | 6/6 | 36 | Y |
| 2892 | 1.88 | 54.6 | 48 | 50 | 0-77922-82892-0 | 91372 | 2/6 | 12 | Y |

- General purpose packaging tape designed to adhere to a variety of corrugated and linerboard boxes
- Provides consistent, reliable closures

- Works well for light to medium weight box sealing, package repair and bundling applications



CARTON SEALING TAPES

STORAGE TAPE 1.85 MIL ACRYLIC TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|------|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 9851 | 1.88 | 54.6 | 48 | 50 | 0-77922-76194-4 | 91380 | 1 | 16 | Y |
| 9852 | 1.88 | 54.6 | 48 | 50 | 0-77922-76195-1 | 91381 | 1 | 16 | Y |

- Storage tape designed medium weight box sealing applications
- For boxes up to 35 pounds
- Resists yellowing, aging, weathering and UV light
- Comes with dispenser for easy box sealing
- Available in clear and tan



SHIPPING TAPE 2.7 MIL ACRYLIC TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|------|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 3196* | 2 | 17.5 | 50.8 | 16 | 0-77922-83196-8 | 3196 | 1 | 24 | N |
| 4367 | 1.88 | 54.6 | 48 | 50 | 0-77922-84367-1 | 91378 | 1 | 12 | Y |
| 4368 | 1.88 | 54.6 | 48 | 50 | 0-77922-84368-8 | 91374 | 2/6 | 12 | Y |

- Crystal clear shipping tape designed for heavy boxes up to 50 pounds
- Works well for applications exposed to rougher shipping hazards and stress
- Resists yellowing, aging, weathering and UV light
- Best suited for reliable, all-temperature box sealing performance
- *Imported from China



CARTON SEALING TAPE DISPENSER

| ITEM NUMBER | COLOR | UNIT UPC | RESOURCE NUMBER | UNITS/PACK | UNITS/CASE | DISPLAY TRAY |
|-------------|-------|-----------------|-----------------|------------|------------|--------------|
| PG2DISP | Grey | 0-77922-85925-2 | 1969 | 1 | 24 | N |
| PG3DISP | Grey | 0-77922-01970-0 | 1970 | 1 | 24 | N |

- Makes manual sealing of boxes much faster and easier
- Ideal for sealing, packaging, and shipping applications
- Pistol grip and tension brake
- Fits 2" rolls of carton sealing tape

PACKAGING PRODUCTS



HAND WRAP

STRETCH FILM

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | GAUGE | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|------|-------------|-------|-------------------|-----------------|-------|------------|------------|--------------|
| | in | ft | mm | m | | | | | | |
| 4349 | 20 | 1000 | 508 | 304.8 | 0-77922-84349-7 | HG2032000-RT | 80 | 1 | 4 | N |
| SF1815MA | 18 | 1500 | 457 | 457 | 0-77922-91168-4 | SF1815MA | 80 | 1 | 4 | N |
| SF1515MA | 15 | 1500 | | | | SF1515MA | | | | |
| 4349DIS | 20 | 1000 | 508 | 304.8 | 5-00779-22994-194 | 99419 | 80 | 9 | 9 | SS |

- Clear stretch film designed for bundling and wrapping items together
- Sticks to only itself
- Superior holding strength
- Excellent puncture and tear resistance
- Easy to use brake handles for stopping and starting



SMALL STRETCH WRAP

5" STRETCH FILM

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | GAUGE | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|------|-------------|-------|------------------|-----------------|-------|------------|------------|--------------|
| | in | ft | mm | m | | | | | | |
| 4348 | 5 | 1000 | 127 | 304.8 | 0-77922-84348-0 | HG2030500-RT | 80 | 1 | 6 | N |
| 4348DIS | 5 | 1000 | 127 | 304.8 | 5-00779-2994-187 | 99418 | 80 | 12 | 36 | SS |

- Great for wrapping items in groupings
- Sticks only to itself



PREMIUM STRAPPING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 9715 | 0.70 | 60 | 18 | 55 | 0-77922-76191-3 | 89265 | 1 | 24 | N |
| 9716 | 0.94 | 60 | 24 | 55 | 0-77922-76192-0 | 91404 | 1 | 32 | N |
| 9717 | 1.41 | 60 | 36 | 55 | 0-77922-77065-6 | 89297 | 1 | 12 | N |
| 9718 | 1.88 | 60 | 48 | 55 | 0-77922-77066-3 | 89298 | 1 | 12 | N |

- Fiberglass reinforced tape designed for added strength and holding power
- Use for packaging, palletizing and unitizing solutions
- Excellent adhesion to corrugated cartons



SPECIALTY PRODUCTS



SPRAY ADHESIVE

| ITEM NUMBER | NET WEIGHT | UNIT UPC | RESOURCE NUMBER | UNITS/PACK | UNITS/CASE | DISPLAY TRAY |
|-------------|----------------------------|-----------------|-----------------|------------|------------|--------------|
| AC 50 | 12 fluid oz. (0.50 liters) | 0-77922-82758-9 | 82766 | 1 | 12 | N |

- Assists in the bonding of surfaces such as wood, concrete and sheet metal
- Contains no methyl chloride or CFCs
- 41 PSI shear strength



AG TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | UNITS/PACK | UNITS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 4380 | 1.88 | 60 | 48 | 54.8 | 0-77922-84380-0 | 4380S | 1 | 24 | N |

- AG tape designed for splicing and patching PE sheeting and bags
- Use for surface protection, sealing, binding, bundling and general maintenance
- Features a serrated edge for easy tear and allows clean removal from most surfaces



FLAGGING RIBBON

| ITEM NUMBER | COLOR | IMPERIAL SIZE | METRIC SIZE | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE |
|-------------|-------------|------------------|------------------|-----------------|-----------------|------------|------------|
| 6880 | Orange Glow | 1.18 in x 50yds | 30.1 mm x 45.7 m | 0-77922-74086-4 | 6880 | 12/12 | 144 |
| 6881 | Pink Glow | 1.18 in x 50yds | 30.1 mm x 45.7 m | 0-77922-74087-1 | 6881 | 12/12 | 144 |
| 6882 | Red Glow | 1.18 in x 50yds | 30.1 mm x 45.7 m | 0-77922-74088-8 | 6882 | 12/12 | 144 |
| 6883 | Lime Glow | 1.18 in x 50yds | 30.1 mm x 45.7 m | 0-77922-74089-5 | 6883 | 12/12 | 144 |
| 6885 | Yellow | 1.18 in x 100yds | 30.1 mm x 91.4 m | 0-77922-81844-0 | 6885 | 12/12 | 144 |
| 6884 | Blue | 1.18 in x 100yds | 30.1 mm x 91.4 m | 0-77922-81843-3 | 6884 | 12/12 | 144 |
| 85012 | White | 1.18 in x 100yds | 30.1 mm x 91.4 m | 0-77922-85012-9 | 85012 | 12/12 | 144 |

- Fluorescent ribbon designed to mark and identify boundaries and property lines
- All weather, UV, water and tear resistant
- Bright, fluorescent color for high visibility (up to 50yds)
- Contains no lead or toxic chemicals
- Available in multiple colors

**This product contains a chemical known to the State of California to cause cancer and birth defects (or other reproductive harm).*



GAFFERS TAPE

MATTE FINISH CLOTH

Ideal for bundling and wrapping wires, holding wires/cords to prevent trip hazards, masking stage floors, black-out masking on scenery panels or backstage areas.

- Low gloss (matte) finish minimizes reflection of lighting
- Vinyl (PVC) coated cloth



GAFFERS TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/CASE | COLOR |
|-------------|---------------|------|-------------|------|-----------------|-----------------|------------|-------|
| | in | yd | mm | m | | | | |
| 5638BLK | 1.87 | 60 | 48 | 54.8 | 0-77922-85638-1 | 5638 | 24 | Black |
| GT7250B | 2.83 | 54.7 | 72 | 50 | 0-77922-99737-4 | 99737 | 16 | Black |

MERCHANDISING SOLUTIONS

QUARTER PALLET

| QUARTER-PALLET TYPE | PRO•MASK BLUE® | | PRO•MASK BLUE® WITH BLOC•IT CLEAN LINE TECHNOLOGY | | FIX-IT DUCTAPE® | JOBSITE DUCTAPE® | XHD DUCTAPE® |
|---------------------|----------------|--------------|---|--------------|-----------------|------------------|--------------|
| QP RESOURCE | 99066 | 99065 | 99064 | 99063 | 99060 | 99061 | 99062 |
| FILL RESOURCE | 99556 (36mm) | 99557 (48mm) | 99439 (36mm) | 99440 (48mm) | 91406 | 91410 | 91411 |
| TRAYS/QP | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| ROLLS/TRAY | 24 | 24 | 24 | 24 | 24 | 18 | 18 |
| ROLLS/PALLET | 144 | 144 | 144 | 144 | 144 | 108 | 108 |

FEATURES/ BENEFITS/ APPLICATION

High Performance Painter's Masking Tape
14 day clean removal
For walls, trim, glass, & metal

Professional Painter's Masking Tape
Designed for clean removal after exposure to sunlight up to 14 days
For sharp paint lines & clean removal from walls & floors

7 mil duct tape is good for wrapping, sealing & general use
Conforms to irregular surfaces

9 mil duct tape is good for packing, wrapping, sealing, binding, weather proofing & general maintenance
Adheres well to a wide variety of surfaces
Offers a broad temperature range

10 mil duct tape is good for packing, wrapping, sealing, binding, bundling, & general maintenance
Meets UL723, HUD and BOCA codes





MERCHANDISING MADE EASY

IPG manufactures a wide range of consumer products offering solutions to the paint, packaging, HVAC, B&C and specialty markets. Our specially formulated pressure-sensitive tapes and films are available in convenient merchandising racks:



MERCHANDISING RACKS

- Retail ready - ships loaded with product and POP
- More items in a 4' space
- Durable, gravity fed racking
- Loaded with top selling items

MERCHANDISING SOLUTIONS

WIRE RACK DISPLAYS

A versatile gravity-feed wire rack suitable for displaying different roll sizes. Front panel graphics slide out for easy changing.



CUT CASE & COUNTER DISPLAY TRAYS

Don't like your tape offering sitting loose on the shelves? Our cut case display trays come pre-loaded with product. Just pop out and place on the shelf for an instant, organized, contained display.



Many products are automatically available with this option. Ask your IPG sales rep for more information, or see the "Y" designation in the Display Tray column on the pages of this catalog.

IN-STORE POINT OF PURCHASE (POP)

Choose from aisle violators, hang tags, shelf talkers and much more!



FLOOR DISPLAYS & SELF SHIPPERS

Small footprint. Big impact. Our floor displays and self-shippers display merchandise vertically, to give placement in a new area or to promote a product.



PLANOGRAM DISPLAYS

IPG offers a variety of planogram product assortments. Ask your sales rep for a list of products included with each planogram.





CORPORATE PROFILE

Headquartered in Sarasota, Florida, IPG is a global provider of packaging and protective solutions across a diversified set of geographies and end-markets. The Company develops, manufactures, and sells a variety of solutions including paper and film-based pressure-sensitive and water-activated tapes, stretch and shrink films, protective packaging, woven and non-woven products and packaging machinery.

NORTH AMERICA

- | | | | |
|----------------------|-------------------|--------------------|---------------------|
| 1. Ansonia, CT | 8. Carlstadt, NJ | 14. Everetts, NC | 20. Schaumburg, IL |
| 2. Atlanta, GA | 9. Carrollton, TX | 15. Marysville, MI | 21. Springfield, OH |
| 3. Bardstown, KY (2) | 10. Chicago, IL | 16. Menasha, WI | 22. Toronto, ON |
| 5. Blythewood, SC | 11. Corona, CA | 17. Midland, NC | 23. Tremonton, UT |
| 6. Brighton, CO | 12. Cornwall, ON | 18. Montreal, QC | 24. Truro, NS |
| 7. Carbondale, IL | 13. Danville, VA | 19. Sarasota, FL | |

EUROPE

- | |
|------------------------|
| 25. Flensburg, Germany |
| 26. Porto, Portugal |
| 27. Soest, Germany |
| 28. Widnes, UK |

ASIA

- | |
|--------------------------|
| 29. Chopanki, India |
| 30. Daman, India |
| 31. Dahej, India |
| 32. Jiangmen City, China |
| 33. Karoli, India |

