

Starrett®



NEW!

RECIPROCATING
SAW
BLADES

NEW RECIPROCATATING SAW BLADES:

INCREASED PRODUCTIVITY

FEATURES

- Bi-Metal steel blade
- Highly resistant to breakage
- More accurate cuts
- Cuts in hard to reach places
- One blade model for each different application (Multi, Wood, Metal and King Cut™)

EX POWER
BI-METAL

CUT **3X** MORE
COMPARED TO
PREVIOUS VERSION!

BEST PERFORMANCE

HIGH DURABILITY

AVAILABLE IN CARDS WITH
2 BLADES

AND TUBES WITH 5, 20 AND
50 BLADES



NEW TIP
DESIGN

NEW TOOTH
DESIGN



COLOR CODED SHANK TO
MATCH APPLICATION



BI-METAL RECIPROCATING BLADES

WOOD

EXPOWER
BI-METAL

	2 Blade Packs		5 Blade Packs		20 Blade Packs		50 Blade Packs		Dimensions	TPI (25mm)	Shape
	Cat. No.	EDP	Cat. No.	EDP	Cat. No.	EDP	Cat. No.	EDP	Length x Width x Thickness		
WOOD	B66-2	16976	B66-5	15329	B66-20	20110	B66-50	15440	6 x 3/4 x .035" (152 x 19 x 0.89mm)	6	Straight
	BT63-2	16984	BT63-5	15338	BT63-20	20118	BT63-50	15445	6 x 3/4 x .050" (152 x 19 x 1.27mm)	3	Tapered
	BT66-2	16985	BT66-5	15339	BT66-20	20119	BT66-50	15446		6	Tapered
	BT96-2	17011	BT96-5	16955	BT96-20	20130	BT96-50	17014	9 x 3/4 x .050" (228 x 19 x 1.27mm)	6	Tapered
	BT123-2	16999	BT123-5	15351	BT123-20	20138	BT123-50	15452	12 x 3/4 x .050"	3	Tapered
	BT126-2	17000	BT126-5	15352	BT126-20	20139	BT126-50	15453	(305 x 19 x 1.27mm)	6	Tapered

BI-METAL RECIPROCATING BLADES

METAL

EXPOWER
BI-METAL

	2 Blade Packs		5 Blade Packs		20 Blade Packs		50 Blade Packs		Dimensions	TPI (25mm)	Shape
	Cat. No.	EDP	Cat. No.	EDP	Cat. No.	EDP	Cat. No.	EDP	Length x Width x Thickness		
METAL	B414-2	16970	B414-5	15319	B414-20	20104	B414-50	15436	4 x 3/4 x .035" (102 x 19 x 0.89mm)	14	Straight
	B418-2	16971	B418-5	15320	B418-20	20105	B418-50	15437		18	Straight
	B424-2	16972	B424-5	15321	B424-20	20106	B424-50	15438		24	Straight
	B614-2	16978	B614-5	15331	B614-20	20112	B614-50	15442	6 x 3/4 x .035" (152 x 19 x 0.89mm)	14	Straight
	B618-2	16979	B618-5	15332	B618-20	20113	B618-50	15443		18	Straight
	B624-2	16980	B624-5	15333	B624-20	20114	B624-50	15444		24	Straight
	B818-2	16991	B818-5	16035	B818-20	20127	B818-50	16047	8 x 3/4 x .035" (203 x 19 x 0.89mm)	18	Straight



Versatile blades designed to cut multiple materials including metal, wood, plastics, and rubber. Optimized tooth pitch for reduction in vibration giving you cleaner cuts and less blade fatigue.



MULTI	2 Blade Packs		5 Blade Packs		20 Blade Packs		50 Blade Packs		Dimensions	TPI (25mm)	Shape
	Cat. No.	EDP	Cat. No.	EDP	Cat. No.	EDP	Cat. No.	EDP	Length x Width x Thickness		
	BT6610-2	16989	BT6610-5	15692	BT6610-20	20123	BT6610-50	15693	6 x 3/4 x .050" (152 x 19 x 1.27mm)	6-10	Tapered
	B610-2	16977	B610-5	15330	B610-20	20111	B610-50	15441	6 x 3/4 x .035" (152 x 19 x 0.89mm)	10	Straight
	BT910-2	17012	BT910-5	17013	BT910-20	20131	BT910-50	17015	9 x 3/4 x .050" (228 x 19 x 1.27mm)	10	Tapered
	BT12610-2	17002	BT12610-5	15700	BT12610-20	20141	BT12610-50	15701	12 x 3/4 x .050"	6-10	Tapered
	BT121014-2	17003	BT121014-5	15704	BT121014-20	20142	BT121014-50	15705	(305 x 19 x 1.27mm)	10-14	Tapered



BTR61014 & BTR91014
IDEAL BLADES FOR CUTTING VEHICLES AND AUTO EXTRICATION

- Exceptional strength, fast cutting action and long life
- Ideal for heavy-duty demolition, emergency extrication and other demanding applications
- Heat-treated teeth with a super-aggressive pitch set, designed to rip through just about anything

2 Blade Packs		5 Blade Packs		20 Blade Packs		50 Blade Packs		Dimensions		
Cat. No.	EDP	Cat. No.	EDP	Cat. No.	EDP	Cat. No.	EDP	Length x Width x Thickness	TPI (25mm)	Shape
BR618-2	11947	BR618-5	11948	BR618-20	11949	BR618-50	11950	6 x 3/4 x .035"	18	Straight
BR61014-2	11450	BR61014-5	11451	BR61014-20	11452	BR61014-50	11909	(152 x 19 x 0.89mm)	10-14	
BTR61014-2	11453	BTR61014-5	11454	BTR61014-20	11455	BTR61014-50	11910	6 x 1 x .063"	10-14	Tapered
BTR6610-2	11456	BTR6610-5	11457	BTR6610-20	11458	BTR6610-50	11911	(152 x 27 x 1.60mm)	6-10	
BR818-2	11951	BR818-5	11952	BR818-20	11953	BR818-50	11954	8 x 3/4 x .035"	18	Straight
BR81014-2	11459	BR81014-5	11460	BR81014-20	11461	BR81014-50	11912	(203 x 19 x 0.89mm)	10-14	
BTR81014-2	11462	BTR81014-5	11463	BTR81014-20	11464	BTR81014-50	11913	8 x 3/4 x .050"	10-14	Tapered
BTR8610-2	11465	BTR8610-5	11466	BTR8610-20	11467	BTR8610-50	11914	(203 x 19 x 1.27mm)	6-10	
BR91014-2	11468	BR91014-5	11469	BR91014-20	11470	BR91014-50	11915	8 x 1 x .063"	10-14	Straight
BTR91014-2	11471	BTR91014-5	11472	BTR91014-20	11473	BTR91014-50	11916	(228 x 19 x 1.27mm)	10-14	
BTR9610-2	11474	BTR9610-5	11475	BTR9610-20	11476	BTR9610-50	11917	9 x 1 x .063"	10-14	Tapered
								(228 x 27 x 1.60mm)	6-10	
BR121014-2	11477	BR121014-5	11478	BR121014-20	11479	BR121014-50	11918	12 x 3/4 x .050"	10-14	Straight
								(305 x 19 x 1.27mm)	10-14	
BTR121014-2	11480	BTR121014-5	11481	BTR121014-20	11482	BTR121014-50	11919	12 x 1 x .063"	10-14	Tapered
BTR12610-2	11483	BTR12610-5	11484	BTR12610-20	11485	BTR12610-50	11920	(305 x 27 x 1.60mm)	6-10	


NEW

CARBIDE TIPPED RECIPROCATING BLADES

FEATURES & BENEFITS:

- Ideal for car dismantling, demolition, and fire & rescue operations
- Provides a longer tool lifespan over standard blades
- Reduces trigger time
- Minimizes exposure to harmful vibrations

**SUPER
HEAVYDUTY**



Cat. No.	EDP	Description	Length	TPI	Qty/Pack
CR68-1	02475	Carbide Tipped Reciprocating Saw Blade, straight, 6" x 1" x .055"	6"	8	1
CR98-1	02476	Carbide Tipped Reciprocating Saw Blade, straight, 9" x 1" x .055"	9"	8	1
CR128-1	02477	Carbide Tipped Reciprocating Saw Blade, straight, 12" x 1" x .055"	12"	8	1

NEW

CARBON STEEL PRUNING RECIPROCATING BLADES



Designed for flexibility and efficient cutting, these blades are ideal for wood pruning, limbing, and root or stump removal, delivering fast, clean cuts through wood and branches.

Cat. No.	EDP	Description	Length	TPI	Qty/Pack
PRB65-1	03639	Pruning Reciprocating Saw Blade, 6" x 3/4" x .050"	6"	5	1
PRB95-1	03640	Pruning Reciprocating Saw Blade, 9" x 3/4" x .050"	9"	5	1
PRB125-1	03641	Pruning Reciprocating Saw Blade, 12" x 3/4" x .060"	12"	5	1
PRB65-5	03642	Pruning Reciprocating Saw Blade, 6" x 3/4" x .050"	6"	5	5
PRB95-5	03643	Pruning Reciprocating Saw Blade, 9" x 3/4" x .050"	9"	5	5
PRB125-5	03644	Pruning Reciprocating Saw Blade, 12" x 3/4" x .060"	12"	5	5

STAINLESS STEEL RECIPROCATING BLADES




Our USDA-approved stainless steel reciprocating saw blades are ideal for food processing applications—including hunting, wild game processing, and meatpacking—where corrosion resistance and easy sanitation are essential.

Cat. No.	EDP	Description	Length	TPI	Qty/Pack
SS123-1	00013	Stainless Steel Reciprocating Saw Blade 12" x 3 TPI	12"	3	1
SS126-1	00014	Stainless Steel Reciprocating Saw Blade 12" x 6 TPI	12"	6	1

PALLET RECIPROCATING BLADES

These blades have been specially developed for pallet dismantling. The rounded tip prevents accidents. With no print or paint, provides clean cuts without marking the wood.



Cat. No.	EDP	Dimensions Length x Width x Thickness	TPI
20 Blade Box			
B810P-20	13019	8 x 3/4 x .035" (203 x 19 x 0.89mm)	10
B81014P-20	03671	8 x 3/4 x .035" (203 x 19 x 0.89mm)	10-14
B1010P-20	01308	10 x 3/4 x .035" (254 x 19 x 0.89mm)	10
250 Blade Box			
B810P-250	13031	8 x 3/4 x .035" (203 x 19 x 0.89mm)	10
B81014P-250	00015	8 x 3/4 x .035" (203 x 19 x 0.89mm)	10-14
B1010P-250	01309	10 x 3/4 x .035" (254 x 19 x 0.89mm)	10



Starrett®

TRUST IS IN THE NAME

Phone: (978) 249-3551 | Fax: (978) 249-8495
121 Crescent Street - Athol, MA 01331-1915 - USA

Bulletin 673 02/26

Folder Complete Line of Reciprocating Saw Blades – Edition: 01/26
Catalog subject to change without prior notice - Illustrative images



www.starrett.com